# CONTRACTOR OF CO






# **URBAN COLLECTION Armless Chairs**

Seat Construction: Webbing Wood Species: Solid Beech Hardwood / Engineered Hardwood

SIN # 711-16



Solid Wood Base

Approximate Shipping weight: 45 lbs

5310-M Armless Chair	Dimensions/ Yardage	Zone Grade	СОМ А	в	COL C	D	E	F	G	н	I	J	к	L
$\frown$		ZONE 1	\$779	\$856	\$934	\$1011	\$1089	\$1166	\$1242	\$1320	\$1397	\$1474	\$1552	\$1628
$\int$	Outside 24W 27D 32H	ZONE 2	\$803	\$883	\$962	\$1042	\$1121	\$1201	\$1280	\$1360	\$1439	\$1519	\$1598	\$1678
	Inside	ZONE 3	\$828	\$909	\$992	\$1074	\$1155	\$1238	\$1320	\$1401	\$1483	\$1566	\$1647	\$1729
	S/H 19 3 yd. 51 sq. ft.	ZONE 4	\$854	\$939	\$1023	\$1108	\$1193	\$1277	\$1362	\$1446	\$1531	\$1615	\$1700	\$1785
	5 yu. 51 3q. 1t.	ZONE 5	\$882	\$970	\$1057	\$1145	\$1232	\$1320	\$1407	\$1494	\$1582	\$1668	\$1756	\$1843

Approximate Shipping weight: 45 lbs

5310-MW Armless Chair	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$873	\$953	\$1031	\$1110	\$1188	\$1268	\$1346	\$1425	\$1503	\$1583	\$1661	\$1739
$\square$	Outside 24W 27D 32H	ZONE 2	\$900	\$982	\$1063	\$1144	\$1225	\$1306	\$1388	\$1468	\$1550	\$1630	\$1712	\$1792
	Inside	ZONE 3	\$929	\$1012	\$1096	\$1180	\$1264	\$1347	\$1431	\$1515	\$1598	\$1682	\$1766	\$1850
	S/H 19 3 yd. 51 sg. ft.	ZONE 4	\$959	\$1045	\$1132	\$1218	\$1305	\$1392	\$1478	\$1565	\$1650	\$1737	\$1823	\$1910
Metal with	J ya. Ji sq. ft.	ZONE 5	\$991	\$1081	\$1170	\$1259	\$1348	\$1438	\$1527	\$1617	\$1707	\$1796	\$1885	\$1974

Metal with Wood Trim Base

Approximate Shipping weight: 45 lbs



# **URBAN COLLECTION - Open Arm Chairs**

Seat Construction: Webbing Wood Species: Solid Beech Hardwood / Engineered Hardwood

5311-W	Dimensions/	Zone	сом		COL	<u> </u>	<u> </u>			,	,			,
Open Arm Chair	Yardage	Grade	A	в	C	D	E	F	G	н	1	L	к	L
		ZONE 1	\$1161	\$1226	\$1292	\$1358	\$1424	\$1489	\$1555	\$1621	\$1686	\$1752	\$1818	\$1884
	Outside 28W 27D 32H	ZONE 2	\$1190	\$1257	\$1325	\$1393	\$1460	\$1527	\$1594	\$1662	\$1729	\$1797	\$1863	\$1931
R	Inside	ZONE 3	\$1221	\$1290	\$1360	\$1429	\$1498	\$1567	\$1636	\$1706	\$1774	\$1843	\$1912	\$1982
	A/H 25 S/H 19	ZONE 4	\$1254	\$1325	\$1396	\$1467	\$1538	\$1609	\$1680	\$1751	\$1822	\$1893	\$1964	\$2035
Solid Wood Base	3 yd. 51 sq. ft.	ZONE 5	\$1289	\$1361	\$1434	\$1507	\$1580	\$1654	\$1726	\$1799	\$1872	\$1945	\$2018	\$2090
Solid Wood Base											, Approxim	ate Shipp	ing weigh	nt: 50 lbs
5311-M	Dimensions/	Zone	сом		COL									
Open Arm Chair	Yardage	Grade	A	В	с	D	E	F	G	н	1	J	к	L
	Outside	ZONE 1	\$1056	\$1121	\$1187	\$1253	\$1319	\$1384	\$1450	\$1516	\$1582	\$1647	\$1713	\$1779
	24W 27D 32H	ZONE 2	\$1082	\$1150	\$1217	\$1285	\$1352	\$1419	\$1487	\$1554	\$1622	\$1689	\$1756	\$1823
	Inside	ZONE 3	\$1111	\$1180	\$1249	\$1318	\$1388	\$1456	\$1525	\$1594	\$1664	\$1733	\$1802	\$1871
	A/H 25 S/H 19 3 yd. 51 sq. ft.	ZONE 4	\$1141	\$1212	\$1283	\$1354	\$1425	\$1496	\$1567	\$1638	\$1709	\$1780	\$1851	\$1922
U Metal Base		ZONE 5	\$1172	\$1244	\$1318	\$1391	\$1464	\$1537	\$1609	\$1682	\$1755	\$1829	\$1902	\$1974
											Approxim	ate Shipp	oing weigł	nt: 50 lbs
5311-MW	Dimensions/	Zone	сом	_	COL	_	_	_						
Open Arm Chair	Yardage	Grade	A	B	C	D	E	F	G	H	 ¢1724	J	K	L
	Outside	ZONE 1	\$1198	\$1264	\$1329	\$1395	\$1461 \$1498	\$1526	\$1592	\$1658	\$1724	\$1789	\$1855	\$1921
	24W 27D 32H		\$1229	\$1295	\$1363	\$1431		\$1566	\$1632	\$1700	\$1767	\$1835	\$1902	\$1969
	Inside A/H 25 S/H 19	ZONE 3	\$1260	\$1329	\$1399	\$1468	\$1537	\$1606	\$1675	\$1745	\$1814	\$1883	\$1951	\$2021
	3 yd. 51 sq. ft.	ZONE 4	\$1294	\$1365	\$1436	\$1507	\$1578	\$1649	\$1720	\$1791	\$1862	\$1933	\$2004	\$2075
Metal with Wood Trim Base		ZONE 5	\$1330	\$1402	\$1476	\$1549	\$1622	\$1695	\$1767	\$1840	\$1913	\$1986	\$2060	\$2132
wood min base											Approxim	ate Shipp	ing weigh	nt: 50 lbs
5311W-LSS/RSS Open Arm Chair	Dimensions/ Yardage	Zone Grade	СОМ А	в	COL C	D	E	F	G	н		L	к	L
		ZONE 1	\$1065	\$1131	\$1197	\$1262	\$1328	\$1394	\$1460	\$1525	\$1591	\$1657	\$1723	\$1788
	Outside	ZONE 2	\$1095	\$1162	\$1230	\$1297	\$1364	\$1432	\$1499	\$1567	\$1633	\$1701	\$1768	\$1836
	28W 27D 32H Inside	ZONE 3	\$1126	\$1195	\$1265	\$1333	\$1402	\$1471	\$1540	\$1610	\$1679	\$1748	\$1817	\$1887
	A/H 25 S/H 19	ZONE 4	\$1159	\$1230	\$1301	\$1372	\$1443	\$1514	\$1585	\$1656	\$1727	\$1798	\$1869	\$1940
	3 yd. 51 sq. ft.	ZONE 5	\$1194	\$1266	\$1339	\$1412	\$1485	\$1558	\$1630	\$1703	\$1777	\$1850	\$1923	\$1995
Solid Wood Base											Approxim	ate Shipp	ing weigh	nt: 50 lbs
5311M-RSS/LSS	Dimensions/	Zone	СОМ		COL									
Open Arm Chair	Yardage	Grade	А	В	с	D	E	F	G	н	I	J	к	L
	Outside	ZONE 1	\$960	\$1026	\$1092	\$1158	\$1223	\$1289	\$1355	\$1420	\$1486	\$1552	\$1618	\$1683
	32H 28W 27D	ZONE 2	\$987	\$1055	\$1121	\$1189	\$1256	\$1324	\$1392	\$1459	\$1526	\$1593	\$1661	\$1728
	Inside	ZONE 3	\$1015	\$1084	\$1153	\$1222	\$1292	\$1361	\$1430	\$1499	\$1569	\$1638	\$1707	\$1776
	A/H 25 S/H 19 3 yd. 51 sq. ft.	ZONE 4	\$1045	\$1116	\$1187	\$1258	\$1329	\$1400	\$1471	\$1542	\$1613	\$1684	\$1755	\$1826
U Metal Base		ZONE 5	\$1077	\$1149	\$1222	\$1295	\$1368	\$1442	\$1514	\$1587	\$1660	\$1733	\$1806	\$1878
											Approxim	ate Shipp	ing weigh	nt: 50 lbs
5311MW-RSS/LSS	Dimensions/	Zone	СОМ		COL		_	_						
Open Arm Chair	Yardage	Grade	A	B	C	D	E ¢126E	F	G	H ¢1E62	L	J	K	L
	Outside	ZONE 1	\$1102	\$1168	\$1234	\$1300	\$1365	\$1431	\$1497	\$1562	\$1628	\$1694	\$1760	\$1825
	32H 28W 27D	ZONE 2	\$1133	\$1200	\$1268	\$1336	\$1402	\$1470	\$1537	\$1605	\$1672	\$1739	\$1806	\$1874
	Inside A/H 25 S/H 19	ZONE 3	\$1165	\$1234 \$1270	\$1304 \$1341	\$1373 \$1412	\$1442 \$1483	\$1511 \$1554	\$1579 \$1625	\$1649 \$1696	\$1718 \$1767	\$1787 \$1838	\$1856 \$1909	\$1926
									- <u>-</u>	- SINMA	- >1/n/			\$1980
	3 yd. 51 sq. ft.	ZONE 4 ZONE 5	\$1199 \$1235	\$1307	\$1380	\$1453	\$1526	\$1600	\$1672	\$1745	\$1818	\$1891	\$1964	\$2036



# **URBAN COLLECTION - Closed Arm Chairs**

Seat Construction: Webbing

Wood Species: Solid Beech Hardwood / Engineered Hardwood SIN # 711-16

			<u> </u>	r						<u> </u>	r			
5312W Closed Arm Chair	Dimensions/ Yardage	Zone Grade	СОМ А	в	COL C	D	E	F	G	н	1	L	к	L
		ZONE 1	\$1410	\$1491	\$1574	\$1656	\$1737	\$1820	\$1902	\$1984	\$2066	\$2149	\$2230	\$2313
	Outside 28W 27D 32H	ZONE 2	\$1445	\$1530	\$1613	\$1698	\$1782	\$1867	\$1950	\$2034	\$2119	\$2203	\$2287	\$2371
	Inside	ZONE 3	\$1483	\$1569	\$1656	\$1742	\$1829	\$1915	\$2001	\$2088	\$2174	\$2261	\$2347	\$2434
	A/H 25 S/H 19	ZONE 4	\$1522	\$1611	\$1700	\$1789	\$1877	\$1966	\$2055	\$2143	\$2232	\$2321	\$2409	\$2498
	4 yd. 60 sq. ft.	ZONE 5	\$1565	\$1656	\$1747	\$1838	\$1929	\$2020	\$2112	\$2203	\$2294	\$2385	\$2476	\$2567
Solid Wood Base											I Approxim	l ate Shipp	ing weigh	nt: 55 lbs
5312-M	Dimensions/	Zone	сом		COL									
Closed Arm Chair	Yardage	Grade	A	в	с	D	E	F	G	н	I	L	к	L
		ZONE 1	\$1309	\$1391	\$1472	\$1555	\$1637	\$1719	\$1801	\$1884	\$1965	\$2048	\$2130	\$2212
	Outside 24W 27D 32H	ZONE 2	\$1342	\$1426	\$1511	\$1594	\$1679	\$1763	\$1848	\$1931	\$2015	\$2100	\$2184	\$2268
	Inside	ZONE 3	\$1377	\$1463	\$1550	\$1636	\$1723	\$1809	\$1895	\$1982	\$2068	\$2155	\$2241	\$2328
	A/H 25 S/H 19 4 yd. 60 sg. ft.	ZONE 4	\$1414	\$1502	\$1591	\$1680	\$1769	\$1857	\$1946	\$2035	\$2123	\$2212	\$2301	\$2389
	4 yu. 60 sq. n.	ZONE 5	\$1452	\$1543	\$1635	\$1726	\$1817	\$1908	\$1999	\$2090	\$2181	\$2273	\$2365	\$2456
Metal Base											Approxin	nate Shipp	, bing weigh	nt: 55 lbs
5312-MW	Dimensions/	Zone	сом		COL									
Closed Arm Chair	Yardage	Grade	А	В	с	D	E	F	G	н	I	J	к	L
	Outside	ZONE 1	\$1451	\$1533	\$1615	\$1697	\$1780	\$1861	\$1944	\$2026	\$2108	\$2190	\$2273	\$2354
	24W 27D 32H	ZONE 2	\$1488	\$1572	\$1657	\$1741	\$1824	\$1909	\$1993	\$2078	\$2161	\$2246	\$2330	\$2415
	Inside	ZONE 3	\$1526	\$1613	\$1699	\$1786	\$1872	\$1959	\$2045	\$2132	\$2218	\$2304	\$2390	\$2477
	A/H 25 S/H 19 4 yd. 60 sq. ft.	ZONE 4	\$1568	\$1657	\$1745	\$1834	\$1923	\$2011	\$2100	\$2189	\$2277	\$2366	\$2455	\$2544
U Metal with	.,	ZONE 5	\$1610	\$1702	\$1794	\$1885	\$1976	\$2067	\$2158	\$2249	\$2340	\$2432	\$2523	\$2614
Wood Trim Base											Approxim	ate Shipp	ing weigh	nt: 55 lbs
5312W-LSS/RSS	Dimensions/	Zone	сом		COL									
,						_	_	_	-					
Closed Arm Chair	Yardage	Grade	А	В	с	D	E	F	G	H	1	J	K	L
,		Grade ZONE 1	A \$1269	\$1342	C \$1417	\$1490	\$1564	\$1638	\$1711	\$1786	ı \$1859	\$1934	\$2007	\$2082
,	Yardage Outside 26W 27D 32H	Grade ZONE 1 ZONE 2	A \$1269 \$1300	\$1342 \$1377	C \$1417 \$1452	\$1490 \$1528	\$1564 \$1604	\$1638 \$1680	\$1711 \$1755	\$1786 \$1831	\$1907	\$1934 \$1982	\$2007 \$2059	\$2082 \$2134
,	Yardage Outside 26W 27D 32H Inside	Grade ZONE 1 ZONE 2 ZONE 3	A \$1269 \$1300 \$1335	\$1342 \$1377 \$1412	C \$1417 \$1452 \$1490	\$1490 \$1528 \$1567	\$1564 \$1604 \$1646	\$1638 \$1680 \$1724	\$1711 \$1755 \$1801	\$1786 \$1831 \$1879	\$1907 \$1957	\$1934 \$1982 \$2035	\$2007 \$2059 \$2112	\$2082 \$2134 \$2190
,	Yardage Outside 26W 27D 32H	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4	A \$1269 \$1300 \$1335 \$1370	\$1342 \$1377 \$1412 \$1450	C \$1417 \$1452 \$1490 \$1530	\$1490 \$1528 \$1567 \$1610	\$1564 \$1604 \$1646 \$1690	\$1638 \$1680 \$1724 \$1770	\$1711 \$1755 \$1801 \$1850	\$1786 \$1831 \$1879 \$1929	\$1907 \$1957 \$2009	\$1934 \$1982 \$2035 \$2089	\$2007 \$2059 \$2112 \$2168	\$2082 \$2134 \$2190 \$2249
,	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19	Grade ZONE 1 ZONE 2 ZONE 3	A \$1269 \$1300 \$1335	\$1342 \$1377 \$1412	C \$1417 \$1452 \$1490	\$1490 \$1528 \$1567	\$1564 \$1604 \$1646	\$1638 \$1680 \$1724	\$1711 \$1755 \$1801	\$1786 \$1831 \$1879	\$1907 \$1957	\$1934 \$1982 \$2035	\$2007 \$2059 \$2112	\$2082 \$2134 \$2190
Closed Arm Chair	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4	A \$1269 \$1300 \$1335 \$1370	\$1342 \$1377 \$1412 \$1450	C \$1417 \$1452 \$1490 \$1530	\$1490 \$1528 \$1567 \$1610	\$1564 \$1604 \$1646 \$1690	\$1638 \$1680 \$1724 \$1770	\$1711 \$1755 \$1801 \$1850	\$1786 \$1831 \$1879 \$1929 \$1982	\$1907 \$1957 \$2009 \$2064	\$1934 \$1982 \$2035 \$2089 \$2147	\$2007 \$2059 \$2112 \$2168	\$2082 \$2134 \$2190 \$2249 \$2311
Closed Arm Chair Closed Arm Chair Solid Wood Base	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5	A \$1269 \$1300 \$1335 \$1370 \$1408	\$1342 \$1377 \$1412 \$1450 \$1490	C \$1417 \$1452 \$1490 \$1530 \$1572	\$1490 \$1528 \$1567 \$1610 \$1654	\$1564 \$1604 \$1646 \$1690 \$1736	\$1638 \$1680 \$1724 \$1770 \$1818	\$1711 \$1755 \$1801 \$1850 \$1900	\$1786 \$1831 \$1879 \$1929 \$1982	\$1907 \$1957 \$2009 \$2064	\$1934 \$1982 \$2035 \$2089 \$2147 aate Shipp	\$2007 \$2059 \$2112 \$2168 \$2229	\$2082 \$2134 \$2190 \$2249 \$2311 ht: 55 lbs
Closed Arm Chair	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft.	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5	A \$1269 \$1300 \$1335 \$1370 \$1408 COM A	\$1342 \$1377 \$1412 \$1450 \$1490 B	C \$1417 \$1452 \$1490 \$1530 \$1572 COL COL	\$1490 \$1528 \$1567 \$1610 \$1654 D	\$1564 \$1604 \$1646 \$1690 \$1736 E	\$1638 \$1680 \$1724 \$1770 \$1818 F	\$1711 \$1755 \$1801 \$1850 \$1900 G	\$1786 \$1831 \$1879 \$1929 \$1982 Н	\$1907 \$1957 \$2009 \$2064 Approxim	\$1934 \$1982 \$2035 \$2089 \$2147 ate Shipp	\$2007 \$2059 \$2112 \$2168 \$2229 ing weigh K	\$2082 \$2134 \$2190 \$2249 \$2311 rt: 55 lbs
Closed Arm Chair Closed Arm Chair Solid Wood Base	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5	A \$1269 \$1300 \$1335 \$1370 \$1408 COM A \$1178	\$1342 \$1377 \$1412 \$1450 \$1490 B \$1252	C \$1417 \$1452 \$1490 \$1530 \$1572 COL COL C	\$1490 \$1528 \$1567 \$1610 \$1654 <u>D</u> \$1400	\$1564 \$1604 \$1646 \$1690 \$1736 <u>E</u> \$1473	\$1638 \$1680 \$1724 \$1770 \$1818 F \$1547	\$1711 \$1755 \$1801 \$1850 \$1900 G \$1621	\$1786 \$1831 \$1879 \$1929 \$1982 H H	\$1907 \$1957 \$2009 \$2064 Approxim I \$1769	\$1934 \$1982 \$2035 \$2089 \$2147 ate Shipp J \$1843	\$2007 \$2059 \$2112 \$2168 \$2229 ing weigh к \$1917	\$2082 \$2134 \$2190 \$2249 \$2311 ht: 55 lbs L \$1991
Closed Arm Chair Closed Arm Chair Solid Wood Base	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 5 ZONE 1 ZONE 2	A \$1269 \$1300 \$1335 \$1370 \$1408 COM A \$1178 \$1208	\$1342 \$1377 \$1412 \$1450 \$1490 \$1252 \$1283	с \$1417 \$1452 \$1490 \$1530 \$1572 Сос с \$1325 \$1359	\$1490 \$1528 \$1567 \$1610 \$1654 D \$1400 \$1435	\$1564 \$1604 \$1646 \$1690 \$1736 E \$1473 \$1511	\$1638 \$1680 \$1724 \$1770 \$1818 F \$1547 \$1587	\$1711 \$1755 \$1801 \$1850 \$1900 G \$1621 \$1663	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738	\$1907 \$1957 \$2009 \$2064 Approxim I \$1769 \$1814	\$1934 \$1982 \$2035 \$2089 \$2147 J \$1843 \$1890	\$2007 \$2059 \$2112 \$2168 \$2229 bing weigh K \$1917 \$1965	\$2082 \$2134 \$2190 \$2249 \$2311 tt: 55 lbs L \$1991 \$2042
Closed Arm Chair Closed Arm Chair Solid Wood Base	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 2	A \$1269 \$1300 \$1335 \$1408 \$1408 COM A \$1178 \$1208 \$1239	\$1342 \$1377 \$1412 \$1450 \$1490 \$1252 \$1252 \$1283 \$1317	C \$1417 \$1452 \$1530 \$1572 \$1572 COL C \$1325 \$1359	\$1490 \$1528 \$1567 \$1610 \$1654 <u>D</u> \$1400 \$1435 \$1472	\$1564 \$1604 \$1690 \$1736 <u>E</u> \$1473 \$1511 \$1550	\$1638 \$1680 \$1724 \$1818 \$1818 \$1818 \$1547 \$1587 \$1628	\$1711 \$1755 \$1801 \$1850 \$1900 \$1900 \$1900 \$1900 \$1663 \$1706	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738 \$1784	\$1907 \$1957 \$2009 \$2064 Approxim I \$1769 \$1814 \$1861	\$1934 \$1982 \$2035 \$2089 \$2147 ate Shipp J \$1843 \$1890 \$1939	\$2007 \$2059 \$2112 \$2168 \$2229 ing weigh K \$1917 \$1965 \$2017	\$2082 \$2134 \$2190 \$2249 \$2311 t: 55 lbs L \$1991 \$2042 \$2095
Closed Arm Chair Closed Arm Chair Solid Wood Base	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 2 ZONE 3 ZONE 4	A \$1269 \$1300 \$1335 \$1408 \$1408 COM A \$1178 \$1178 \$1208 \$1239 \$1273	\$1342 \$1377 \$1412 \$1450 \$1490 \$1490 \$1252 \$1283 \$1283 \$1317 \$1352	C \$1417 \$1452 \$1490 \$1530 \$1530 \$1572 COL C \$1325 \$1325 \$1395 \$1432	\$1490 \$1528 \$1567 \$1610 \$1654 D \$1400 \$1435 \$1472 \$1512	\$1564 \$1604 \$1690 \$1736 \$1736 E \$1473 \$1511 \$1550 \$1592	\$1638 \$1680 \$1724 \$1770 \$1818 F \$1547 \$1587 \$1628 \$1671	\$1711 \$1755 \$1801 \$1850 \$1900 G \$1621 \$1663 \$1706 \$1752	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738 \$1784 \$1832	\$1907 \$1957 \$2009 \$2064 Approxim 1 \$1769 \$1814 \$1861 \$1911	\$1934 \$1982 \$2035 \$2089 \$2147 J \$1843 \$1890 \$1939	\$2007 \$2059 \$2112 \$2168 \$2229 \$2017 \$1965 \$2017 \$2071	\$2082 \$2134 \$2190 \$2249 \$2311 t: 55 lbs L \$1991 \$2042 \$2095 \$2150
Closed Arm Chair Closed Arm Chair Solid Wood Base	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 2	A \$1269 \$1300 \$1335 \$1408 \$1408 COM A \$1178 \$1208 \$1239	\$1342 \$1377 \$1412 \$1450 \$1490 \$1252 \$1252 \$1283 \$1317	C \$1417 \$1452 \$1530 \$1572 \$1572 COL C \$1325 \$1359	\$1490 \$1528 \$1567 \$1610 \$1654 <u>D</u> \$1400 \$1435 \$1472	\$1564 \$1604 \$1690 \$1736 <u>E</u> \$1473 \$1511 \$1550	\$1638 \$1680 \$1724 \$1818 \$1818 \$1818 \$1547 \$1587 \$1628	\$1711 \$1755 \$1801 \$1850 \$1900 \$1900 \$1900 \$1900 \$1663 \$1706	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738 \$1738 \$1784 \$1832 \$1881	\$1907 \$1957 \$2009 \$2064 Approxim 1 \$1769 \$1814 \$1861 \$1911 \$1963	\$1934 \$1982 \$2035 \$2089 \$2147 ate Shipp \$1843 \$1890 \$1939 \$1991 \$2045	\$2007 \$2059 \$2112 \$2168 \$2229 ing weigh K \$1917 \$1965 \$2017 \$2071 \$2128	\$2082 \$2134 \$2249 \$2249 \$2311 tt: 55 lbs L \$1991 \$2042 \$2095 \$2150 \$2210
Closed Arm Chair Closed Arm Chair Solid Wood Base 5312M-RSS/LSS Closed Arm Chair Closed Arm Chair Metal Base	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft.	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5	A \$1269 \$1300 \$1335 \$1408 \$1408 COM A \$1178 \$1208 \$1223 \$1273 \$1273	\$1342 \$1377 \$1412 \$1450 \$1490 \$1490 \$1252 \$1283 \$1283 \$1317 \$1352	C \$1417 \$1452 \$1490 \$1530 \$1530 \$1572 \$1572 \$1325 \$1325 \$1395 \$1432 \$1432	\$1490 \$1528 \$1567 \$1610 \$1654 D \$1400 \$1435 \$1472 \$1512	\$1564 \$1604 \$1690 \$1736 \$1736 E \$1473 \$1511 \$1550 \$1592	\$1638 \$1680 \$1724 \$1770 \$1818 F \$1547 \$1587 \$1628 \$1671	\$1711 \$1755 \$1801 \$1850 \$1900 G \$1621 \$1663 \$1706 \$1752	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738 \$1738 \$1784 \$1832 \$1881	\$1907 \$1957 \$2009 \$2064 Approxim 1 \$1769 \$1814 \$1861 \$1911 \$1963	\$1934 \$1982 \$2035 \$2089 \$2147 ate Shipp \$1843 \$1890 \$1939 \$1991 \$2045	\$2007 \$2059 \$2112 \$2168 \$2229 \$2017 \$1965 \$2017 \$2071	\$2082 \$2134 \$2290 \$2249 \$2311 tt: 55 lbs L \$1991 \$2042 \$2042 \$2095 \$2150 \$2210
Closed Arm Chair Closed Arm Chair Solid Wood Base 5312M-RSS/LSS Closed Arm Chair Closed Arm Chair	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 2 ZONE 3 ZONE 4	A \$1269 \$1300 \$1335 \$1408 \$1408 COM A \$1178 \$1178 \$1208 \$1239 \$1273	\$1342 \$1377 \$1412 \$1450 \$1490 \$1490 \$1252 \$1283 \$1283 \$1317 \$1352	C \$1417 \$1452 \$1490 \$1530 \$1530 \$1572 COL C \$1325 \$1325 \$1395 \$1432	\$1490 \$1528 \$1567 \$1610 \$1654 D \$1400 \$1435 \$1472 \$1512	\$1564 \$1604 \$1690 \$1736 \$1736 E \$1473 \$1511 \$1550 \$1592	\$1638 \$1680 \$1724 \$1770 \$1818 F \$1547 \$1587 \$1628 \$1671	\$1711 \$1755 \$1801 \$1850 \$1900 G \$1621 \$1663 \$1706 \$1752	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738 \$1738 \$1784 \$1832 \$1881	\$1907 \$1957 \$2009 \$2064 Approxim 1 \$1769 \$1814 \$1861 \$1911 \$1963	\$1934 \$1982 \$2035 \$2089 \$2147 ate Shipp \$1843 \$1890 \$1939 \$1991 \$2045	\$2007 \$2059 \$2112 \$2168 \$2229 ing weigh K \$1917 \$1965 \$2017 \$2071 \$2128	\$2082 \$2134 \$2249 \$2249 \$2311 tt: 55 lbs L \$1991 \$2042 \$2095 \$2150 \$2210
Closed Arm Chair Closed Arm Chair Solid Wood Base 5312M-RSS/LSS Closed Arm Chair Closed Arm Chair Metal Base 5312MW-RSS/LSS	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/	Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 3 ZONE 4 ZONE 5	A \$1269 \$1300 \$1335 \$1408 \$1408 COM A \$1178 \$1208 \$1239 \$1273 \$1273 \$1207	\$1342 \$1377 \$1412 \$1450 \$1490 \$1252 \$1283 \$1317 \$1352 \$1389	C \$1417 \$1452 \$1490 \$1530 \$1530 \$1572 \$1325 \$1325 \$1325 \$1395 \$1432 \$1432 \$1471	\$1490 \$1528 \$1567 \$1610 \$1654 \$1400 \$1435 \$1435 \$1472 \$1512 \$1553	\$1564 \$1604 \$1690 \$1736 \$1736 \$1573 \$1511 \$1550 \$1592 \$1635	\$1638 \$1680 \$1724 \$1770 \$1818 F \$1547 \$1587 \$1628 \$1671 \$1717	\$1711 \$1755 \$1801 \$1850 \$1900	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738 \$1784 \$1832 \$1881	\$1907 \$1957 \$2009 \$2064 Approxim 1 \$1769 \$1814 \$1861 \$1911 \$1963 Approxim	\$1934 \$1982 \$2035 \$2089 \$2147 J \$1843 \$1890 \$1939 \$1991 \$2045 ate Shipp	\$2007 \$2059 \$2112 \$2168 \$2229 bing weight K \$1917 \$1965 \$2017 \$2071 \$2071 \$2128 bing weight	\$2082 \$2134 \$2190 \$2249 \$2311 t: 55 lbs L \$1991 \$2042 \$2095 \$2150 \$2210 t: 55 lbs
Closed Arm Chair Closed Arm Chair Solid Wood Base 5312M-RSS/LSS Closed Arm Chair Closed Arm Chair Metal Base 5312MW-RSS/LSS	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside	Grade ZONE 1 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5	A \$1269 \$1300 \$1335 \$1408 \$1408 COM A \$1178 \$1208 \$1239 \$1239 \$1273 \$1273 \$1207	\$1342 \$1377 \$1412 \$1450 \$1490 \$1252 \$1283 \$1317 \$1352 \$1389 В	C \$1417 \$1452 \$1490 \$1530 \$1530 \$1572 \$1359 \$1359 \$1395 \$1395 \$1432 \$1471	\$1490 \$1528 \$1567 \$1610 \$1654 0 \$1400 \$1435 \$1472 \$1512 \$1553	\$1564 \$1604 \$1646 \$1690 \$1736 E \$1473 \$1511 \$1550 \$1592 \$1635	\$1638 \$1680 \$1724 \$1770 \$1818 F \$1547 \$1587 \$1628 \$1671 \$1671 \$1717	\$1711 \$1755 \$1801 \$1900 \$1900 \$1900 \$1900 \$1621 \$1663 \$1706 \$1752 \$1799	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738 \$1738 \$1784 \$1832 \$1881	\$1907 \$1957 \$2009 \$2064 Approxim 1 \$1769 \$1814 \$1861 \$1911 \$1963 Approxim	\$1934 \$1982 \$2035 \$2089 \$2147 ate Shipp \$1843 \$1890 \$1939 \$1931 \$2045 ate Shipp	\$2007 \$2059 \$2112 \$2168 \$2229 bing weigh K \$1917 \$1965 \$2017 \$2071 \$2071 \$2071 \$2071 \$2071	\$2082 \$2134 \$2190 \$2249 \$2311 t: 55 lbs \$2042 \$2095 \$2150 \$2150 \$2210 t: 55 lbs
Closed Arm Chair Closed Arm Chair Solid Wood Base 5312M-RSS/LSS Closed Arm Chair Closed Arm Chair Metal Base 5312MW-RSS/LSS	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage	Grade ZONE 1 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 4 ZONE 5	A \$1269 \$1300 \$1335 \$1408	\$1342 \$1377 \$1412 \$1450 \$1490 \$1252 \$1283 \$1317 \$1352 \$1389 B \$1379	C \$1417 \$1452 \$1530 \$1572 COL C \$1325 \$1359 \$1359 \$1325 \$1432 \$1471 COL C COL C C	\$1490 \$1528 \$1567 \$1610 \$1654	\$1564 \$1604 \$1690 \$1736 \$1736 \$1577 \$1571 \$1550 \$1592 \$1635 \$1635	\$1638 \$1680 \$1724 \$1770 \$1818 \$1587 \$1587 \$1628 \$1671 \$1717 \$1717	\$1711 \$1755 \$1801 \$1850 \$1900 \$1900 \$1621 \$1663 \$1706 \$1752 \$1799 \$1799	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738 \$1738 \$1738 \$1738 \$1881 \$1881	\$1907 \$1957 \$2009 \$2064 Approxim 1 \$1769 \$1814 \$1861 \$1911 \$1963 Approxim 1 \$1898	\$1934 \$1982 \$2035 \$2089 \$2147 J ate Shipp \$1843 \$1890 \$1939 \$1991 \$2045 ate Shipp \$2045 ate Shipp	\$2007 \$2059 \$2112 \$2168 \$2229 ing weigh K \$1917 \$1965 \$2017 \$2017 \$2017 \$2128 ing weigh K \$2045	\$2082 \$2134 \$2249 \$2249 \$2311 tt: 55 lbs L \$1991 \$2042 \$2095 \$2150 \$2210 tt: 55 lbs L L \$2119
Closed Arm Chair Closed Arm Chair Solid Wood Base 5312M-RSS/LSS Closed Arm Chair Closed Arm Chair Metal Base 5312MW-RSS/LSS	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 24W 27D 32H Inside A/H 25 S/H 19	Grade ZONE 1 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 3 ZONE 4 ZONE 2 ZONE 1 ZONE 1	A \$1269 \$1300 \$1335 \$1408 \$1408 \$1408 \$1408 \$1208 \$1208 \$1273 \$1273 \$1273 \$1273 \$1273 \$1273 \$1208 \$1299 \$1273 \$1208 \$1299 \$1273 \$1208 \$1208 \$1209 \$1208 \$1208 \$1209 \$1208 \$1208 \$1208 \$1208 \$1208 \$1208 \$1208 \$1208 \$1208 \$1208 \$1208 \$1208 \$1208 \$1209 \$1208 \$1208 \$1208 \$1208 \$1208 \$1208 \$1209 \$1208 \$1208 \$1209 \$1208 \$1208 \$1208 \$1208 \$1209 \$1208 \$1209 \$1208 \$1209 \$1208 \$1208 \$1209 \$1208 \$1208 \$1209 \$1208 \$1209 \$1208 \$1209 \$1209 \$1208 \$1209 \$1209 \$1209 \$1209 \$1209 \$1209 \$1209 \$1208 \$1209 \$1209 \$1209 \$1209 \$1209 \$1209 \$1208 \$1209 \$1208 \$1208 \$1209 \$1208 \$1208 \$1209 \$120	\$1342 \$1377 \$1412 \$1450 \$1490 \$1252 \$1283 \$1317 \$1352 \$1389 B \$1379 \$1415	C \$1417 \$1452 \$1490 \$1530 \$1530 \$1572 \$1325 \$1325 \$1325 \$1325 \$1325 \$1325 \$1432 \$1432 \$1471 COL C \$1454 \$1491	\$1490 \$1528 \$1567 \$1610 \$1654 \$1400 \$1435 \$1435 \$1472 \$1553 \$1572 \$1566	\$1564 \$1604 \$1690 \$1736 \$1736 \$1572 \$1550 \$1592 \$1635 \$1632 \$1602	\$1638 \$1724 \$1770 \$1818 F \$1547 \$1587 \$1628 \$1671 \$1717 F \$1675 \$1718	\$1711 \$1755 \$1801 \$1900 \$1900 \$1900 \$1900 \$1633 \$1766 \$1752 \$1799 \$1750 \$1750	\$1786 \$1831 \$1879 \$1929 \$1982	\$1907 \$1957 \$2009 \$2064 Approxim \$1769 \$1814 \$1861 \$1911 \$1963 Approxim 1 \$1898 \$1945	\$1934 \$1982 \$2035 \$2089 \$2147 J \$1843 \$1890 \$1939 \$1991 \$2045 ate Shipp \$2045 ate Shipp \$1991 \$2045 \$1971 \$2022	\$2007 \$2059 \$2112 \$2168 \$2229 % \$2229 % \$2229 % \$2071 \$2071 \$2071 \$2071 \$2071 \$2071 \$2072 \$2071 \$2075 \$2045	\$2082 \$2134 \$2190 \$2249 \$2311 t: 55 lbs \$2042 \$2095 \$2150 \$2210 t: 55 lbs t. 55 lbs L \$2210
Closed Arm Chair Closed Arm Chair Solid Wood Base 5312M-RSS/LSS Closed Arm Chair Metal Base 5312MW-RSS/LSS Closed Arm Chair Closed Arm Chair	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 24W 27D 32H Inside	Grade ZONE 1 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 3 ZONE 1 ZONE 1 ZONE 1 ZONE 1 ZONE 2 ZONE 1	A \$1269 \$1300 \$1335 \$1370 \$1408 COM A \$1208 \$1239 \$1273 \$1273 \$1273 \$1273 \$1273 \$1307 \$1307 \$1306 \$1339 \$1374	\$1342 \$1377 \$1412 \$1450 \$1490 \$1252 \$1283 \$1317 \$1352 \$1389 B \$1379 \$1415 \$1452 \$1491	C \$1417 \$1452 \$1530 \$1570 COL C \$1325 \$1325 \$1325 \$1325 \$1432 \$1471 COL C \$1454 \$1491 \$1529 \$1570	\$1490 \$1528 \$1567 \$1610 \$1654 \$1400 \$1435 \$1435 \$1472 \$1553 \$1577 \$1566 \$1607 \$1650	\$1564 \$1604 \$1690 \$1736 \$1736 \$1517 \$1550 \$1592 \$1635 \$1635 \$1642 \$1642 \$1645	\$1638 \$1724 \$1770 \$1818 F \$1547 \$1587 \$1628 \$1671 \$1675 \$1718 \$1778 \$1778 \$1778	\$1711 \$1755 \$1801 \$1800 \$1900 \$1900 \$1900 \$1621 \$1762 \$1750 \$1799 \$1750 \$1794 \$1840 \$1890	\$1786 \$1831 \$1879 \$1929 \$1982 , , , , , , , , , , , , , , , , , ,	\$1907 \$1957 \$2009 \$2064 Approxim 1 \$1769 \$1814 \$1861 \$1911 \$1963 Approxim 1 \$1898 \$1945 \$1996 \$2049	\$1934 \$1982 \$2035 \$2089 \$2147 J \$1843 \$1890 \$1991 \$2045 \$1991 \$2045 ate Shipp J \$1991 \$2045 \$1991 \$2045 \$1971 \$2022 \$2074	\$2007 \$2059 \$2112 \$2168 \$2229 ing weigh K \$1917 \$1965 \$2017 \$2071 \$2071 \$2128 ing weigh K \$2045 \$2097 \$2151 \$2209	\$2082 \$2134 \$2190 \$2249 \$2311 t: 55 lbs \$2042 \$2095 \$2100 \$2210 t: 55 lbs t: 55 lbs \$2210 \$2210 \$2210 \$2210 \$2210 \$2210
Closed Arm Chair Closed Arm Chair Solid Wood Base 5312M-RSS/LSS Closed Arm Chair Closed Arm Chair Metal Base 5312MW-RSS/LSS	Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 26W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 24W 27D 32H Inside A/H 25 S/H 19	Grade ZONE 1 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 4 ZONE 5	A \$1269 \$1300 \$1335 \$1408 \$1408 \$1408 \$1208 \$1208 \$1239 \$1273 \$1207 \$1207 \$1208 \$1239 \$1273 \$1307 \$1306 \$1339 \$1374	\$1342 \$1377 \$1412 \$1450 \$1490 \$1252 \$1283 \$1317 \$1352 \$1389 \$1379 \$1415 \$1452	C \$1417 \$1452 \$1490 \$1530 \$1572 COL C \$1359 \$1359 \$1395 \$1432 \$1471 COL C \$1454 \$1491 \$1529	\$1490 \$1528 \$1567 \$1610 \$1654	\$1564 \$1604 \$1690 \$1736 \$1736 \$1571 \$1550 \$1592 \$1635 \$1602 \$1642 \$1685	\$1638 \$1724 \$1770 \$1818 F \$1547 \$1587 \$1628 \$1671 \$1628 \$1671 \$1675 \$1675 \$1718	\$1711 \$1755 \$1801 \$1900 \$1900 \$1621 \$1663 \$1706 \$1752 \$1799 \$1799 \$1790 \$1794	\$1786 \$1831 \$1879 \$1929 \$1982 H \$1695 \$1738 \$1738 \$1738 \$1784 \$1832 \$1881 H \$1823 \$1870 \$1918 \$1970 \$2024	\$1907 \$1957 \$2009 \$2064 Approxim [ \$1769 \$1814 \$1861 \$1911 \$1963 Approxim [ \$1898 \$1945 \$1996 \$2049 \$2106	\$1934 \$1982 \$2035 \$2089 \$2147 J \$1843 \$1890 \$1939 \$1931 \$2045 ate Shipp \$1991 \$2045 ate Shipp \$1971 \$2022 \$2074 \$2129 \$2188	\$2007 \$2059 \$2112 \$2168 \$2229 bing weigh \$1965 \$2017 \$2017 \$2017 \$2017 \$2017 \$2017 \$2017 \$2025 \$2045 \$2097	\$2082 \$2134 \$2190 \$2249 \$2311 t: 55 lbs t: 55 lbs \$2042 \$2042 \$2042 \$2042 \$2042 \$2042 \$2042 \$2042 \$2042 \$2042 \$2042 \$2110 \$2210 \$2113 \$2219 \$2229 \$2253



# URBAN COLLECTION - Fully Uph. Arm Chairs

Seat Construction: Webbing

Wood Species: Solid Beech Hardwood / Engineered Hardwood SIN # 711-16

				r			1							
5313W	Dimensions/	Zone	СОМ	в	COL C	D	Е	F	G			J	K	L
Fully Uph. Arm Chair	Yardage	Grade ZONE 1	\$1026	\$1116	\$1207	\$1297	\$1389	\$1479	\$1570	н \$1660	\$1751	\$1841	к \$1932	\$2022
	Outside	ZONE 2	\$1053	\$1146	\$1239	\$1332	\$1425	\$1518	\$1611	\$1703	\$1797	\$1890	\$1983	\$2075
	30W 27D 32H Inside	ZONE 3	\$1033	\$1177	\$1272	\$1368	\$1464	\$1559	\$1655	\$1750	\$1845	\$1941	\$2036	\$2132
	A/H 25 S/H 19	ZONE 4	\$1112	\$1209	\$1272	\$1308	\$1504	\$1603	\$1700	\$1799	\$1896	\$1941	\$2030	\$2132
	4 yd. 60 sq. ft.	-		,	,				,					
Solid Wood Base		ZONE 5	\$1144	\$1244	\$1345	\$1446	\$1548	\$1648	\$1749	\$1850	\$1950	\$2052	\$2153	\$2254
											Approxim	ate Shipp	oing weigh	it: 55 lbs
5313-M Fully Uph. Arm Chair	Dimensions/ Yardage	Zone Grade	сом А	в	COL C	D	Е	F	G	н	1	J	к	L
		ZONE 1	\$915	\$1010	\$1106	\$1201	\$1296	\$1392	\$1487	\$1583	\$1678	\$1773	\$1870	\$1965
	Outside 24W 27D 32H	ZONE 2	\$940	\$1038	\$1136	\$1234	\$1332	\$1431	\$1529	\$1627	\$1725	\$1823	\$1922	\$2019
	24W 27D 32H Inside	ZONE 3	\$967	\$1067	\$1168	\$1270	\$1371	\$1471	\$1572	\$1674	\$1774	\$1875	\$1976	\$2078
	A/H 25 S/H 19	ZONE 4	\$995	\$1099	\$1203	\$1307	\$1411	\$1515	\$1619	\$1723	\$1826	\$1930	\$2034	\$2138
	4 yd. 60 sq. ft.	ZONE 5	\$1025	\$1132	\$1239	\$1346	\$1453	\$1560	\$1667	\$1774	\$1882	\$1989	\$2096	\$2203
Metal Base			,		,							ate Shipp		
5212 MW	Dimensions /	7	6014		601							ato ompp		
5313-MW Fully Uph. Arm Chair	Dimensions/ Yardage	Zone Grade	СОМ А	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1032	\$1132	\$1233	\$1332	\$1432	\$1533	\$1632	\$1732	\$1833	\$1932	\$2032	\$2133
	Outside 24W 27D 32H	ZONE 2	\$1062	\$1166	\$1269	\$1372	\$1474	\$1577	\$1680	\$1783	\$1886	\$1989	\$2091	\$2194
	Inside	ZONE 3	\$1095	\$1201	\$1307	\$1413	\$1519	\$1625	\$1731	\$1837	\$1943	\$2049	\$2155	\$2261
	A/H 25 S/H 19	ZONE 4	\$1128	\$1238	\$1347	\$1456	\$1566	\$1675	\$1784	\$1893	\$2002	\$2112	\$2221	\$2330
	4 yd. 60 sq. ft.	ZONE 5	\$1164	\$1277	\$1390	\$1503	\$1615	\$1728	\$1841	\$1954	\$2066	\$2179	\$2292	\$2405
Metal with Wood Trim Base											Approxim	ate Shipp	ing weigh	t: 55 lbs
5313W-LSS/RSS	Dimensions/	Zone	СОМ		COL									
Fully Uph. Arm Chair	Yardage	Grade	A	В	с	D	E	F	G	н	I	J	к	L
	Outside	ZONE 1	\$1026	\$1116	\$1207	\$1297	\$1389	\$1479	\$1570	\$1660	\$1751	\$1841	\$1932	\$2022
	27W 27D 32H	ZONE 2	\$1053	\$1146	\$1239	\$1332	\$1425	\$1518	\$1611	\$1703	\$1797	\$1890	\$1983	\$2075
	Inside	ZONE 3	\$1081	\$1177	\$1272	\$1368	\$1464	\$1559	\$1655	\$1750	\$1845	\$1941	\$2036	\$2132
	A/H 25 S/H 19	ZONE 4		c1200	+ 4 9 9 9	\$1406	44504	61602	\$1700	\$1799	+100C			
" V"	3.5 vd. 60 sa. ft.	ZONE 4	\$1112	\$1209	\$1308	91400	\$1504	\$1603	\$1700	21/99	\$1896	\$1995	\$2094	\$2191
	3.5 yd. 60 sq. ft.	ZONE 5	\$1112 \$1144	\$1209	\$1308 \$1345	\$1446	\$1504	\$1648	\$1749	\$1850	\$1896	\$1995 \$2052	\$2094 \$2153	\$2191 \$2254
Solid Wood Base	3.5 yd. 60 sq. ft.	-	· ·							\$1850	\$1950		\$2153	\$2254
5313M-RSS/LSS	Dimensions/	ZONE 5 Zone	\$1144 COM	\$1244	\$1345 COL	\$1446	\$1548	\$1648	\$1749	\$1850	\$1950	\$2052 ate Shipp	\$2153 bing weigh	\$2254 nt: 55 lbs
		ZONE 5 Zone Grade	\$1144 COM A	\$1244 B	\$1345 COL C	\$1446 D	\$1548 E	\$1648 F	\$1749 G	\$1850 H	\$1950 Approxim	\$2052 ate Shipp	\$2153 bing weigh	\$2254 nt: 55 lbs L
5313M-RSS/LSS	Dimensions/	ZONE 5 Zone Grade ZONE 1	\$1144 COM A \$869	\$1244 B \$960	\$1345 COL C \$1050	\$1446 D \$1141	\$1548 E \$1232	\$1648 F \$1322	\$1749 G \$1413	\$1850 Н \$1503	\$1950 Approxim I \$1594	\$2052 aate Shipp J \$1685	\$2153 bing weigh K \$1776	\$2254 nt: 55 lbs L \$1867
5313M-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H	ZONE 5 Zone Grade ZONE 1 ZONE 2	\$1144 COM A \$869 \$893	\$1244 B \$960 \$986	\$1345 COL C \$1050 \$1080	\$1446 D \$1141 \$1172	\$1548 E \$1232 \$1266	\$1648 F \$1322 \$1359	\$1749 G \$1413 \$1452	\$1850 H \$1503 \$1546	\$1950 Approxim I \$1594 \$1638	\$2052 ate Shipp J \$1685 \$1732	\$2153 bing weigh K \$1776 \$1826	\$2254 at: 55 lbs L \$1867 \$1918
5313M-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H Inside	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3	\$1144 COM A \$869 \$893 \$918	\$1244 B \$960 \$986 \$1014	\$1345 COL C \$1050 \$1080 \$1110	\$1446 D \$1141 \$1172 \$1206	\$1548 E \$1232 \$1266 \$1302	\$1648 F \$1322 \$1359 \$1398	\$1749 G \$1413 \$1452 \$1493	\$1850 Н \$1503 \$1546 \$1590	\$1950 Approxim 1 \$1594 \$1638 \$1686	\$2052 J \$1685 \$1732 \$1781	\$2153 bing weigh K \$1776 \$1826 \$1877	\$2254 at: 55 lbs L \$1867 \$1918 \$1974
5313M-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4	\$1144 COM A \$869 \$893 \$918 \$946	\$1244 B \$960 \$986 \$1014 \$1044	\$1345 COL C \$1050 \$1080 \$1110 \$1143	\$1446 D \$1141 \$1172 \$1206 \$1242	\$1548 E \$1232 \$1266 \$1302 \$1340	\$1648 F \$1322 \$1359 \$1398 \$1439	\$1749 G \$1413 \$1452 \$1493 \$1538	\$1850 H \$1503 \$1546 \$1590 \$1636	\$1950 Approxim I \$1594 \$1638 \$1686 \$1735	\$2052 ate Shipp \$1685 \$1732 \$1781 \$1834	\$2153 bing weigh K \$1776 \$1826 \$1877 \$1932	\$2254 It: 55 lbs L \$1867 \$1918 \$1974 \$2031
5313M-RSS/LSS Fully Uph. Arm Chair	Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3	\$1144 COM A \$869 \$893 \$918	\$1244 B \$960 \$986 \$1014	\$1345 COL C \$1050 \$1080 \$1110	\$1446 D \$1141 \$1172 \$1206	\$1548 E \$1232 \$1266 \$1302	\$1648 F \$1322 \$1359 \$1398	\$1749 G \$1413 \$1452 \$1493	\$1850 Н \$1503 \$1546 \$1590	\$1950 Approxim 1 \$1594 \$1638 \$1686	\$2052 J \$1685 \$1732 \$1781	\$2153 bing weigh K \$1776 \$1826 \$1877	\$2254 at: 55 lbs L \$1867 \$1918 \$1974
5313M-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4	\$1144 COM A \$869 \$893 \$918 \$946	\$1244 B \$960 \$986 \$1014 \$1044	\$1345 COL C \$1050 \$1080 \$1110 \$1143	\$1446 D \$1141 \$1172 \$1206 \$1242	\$1548 E \$1232 \$1266 \$1302 \$1340	\$1648 F \$1322 \$1359 \$1398 \$1439	\$1749 G \$1413 \$1452 \$1493 \$1538	\$1850 H \$1503 \$1546 \$1590 \$1636 \$1686	\$1950 Approxim \$1594 \$1638 \$1686 \$1735 \$1787	\$2052 ate Shipp \$1685 \$1732 \$1781 \$1834	\$2153 bing weigh K \$1776 \$1826 \$1877 \$1932 \$1991	\$2254 L \$1867 \$1918 \$1974 \$2031 \$2093
5313M-RSS/LSS Fully Uph. Arm Chair Metal Base 5313MW-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5	\$1144 COM A \$869 \$893 \$918 \$918 \$946 \$974 COM	\$1244 В \$960 \$986 \$1014 \$1044 \$1075	\$1345 COL C \$1050 \$1100 \$1110 \$1143 \$1177	D S1141 S1141 S1172 S1206 S1242 S1279	E \$1232 \$1266 \$1302 \$1340 \$1381	\$1648 F \$1322 \$1359 \$1398 \$1439 \$1482	\$1749 G \$1413 \$1452 \$1493 \$1538 \$1584	\$1850 H \$1503 \$1546 \$1590 \$1636 \$1686	\$1950 Approxim 1 \$1594 \$1638 \$1638 \$1686 \$1735 \$1787 Approxim	\$2052 J ate Shipp \$1685 \$1732 \$1781 \$1834 \$1889 ate Shipp	\$2153 bing weigh к \$1776 \$1826 \$1877 \$1932 \$1991 bing weigh	\$2254 at: 55 lbs L \$1867 \$1918 \$1974 \$2031 \$2093 at: 55 lbs
5313M-RSS/LSS Fully Uph. Arm Chair	Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft.	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5	\$1144 COM A \$869 \$893 \$918 \$946 \$974 COM A	\$1244 В \$960 \$986 \$1014 \$1044 \$1075	\$1345 COL C \$1050 \$1080 \$1110 \$1143 \$1177 COL COL COL	D S1141 S1172 S1206 S1242 S1279 D	E \$1232 \$1266 \$1302 \$1340 \$1381 E	\$1648 F \$1322 \$1359 \$1398 \$1439 \$1482	\$1749 G \$1413 \$1452 \$1493 \$1538 \$1584	\$1850 Н \$1503 \$1546 \$1590 \$1636 \$1686	\$1950 Approxim 1 \$1594 \$1638 \$1638 \$1686 \$1735 \$1787 Approxim	\$2052 ate Shipp \$1685 \$1732 \$1781 \$1834 \$1889 ate Shipp	\$2153 bing weigh K \$1776 \$1826 \$1877 \$1932 \$1991 bing weigh K	\$2254 tt: 55 lbs L \$1867 \$1918 \$1974 \$2031 \$2093 tt: 55 lbs L
5313M-RSS/LSS Fully Uph. Arm Chair Metal Base 5313MW-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 5	\$1144 \$1144 \$869 \$893 \$918 \$918 \$946 \$974 \$974	\$1244 B \$960 \$986 \$1014 \$1044 \$1075 B \$1116	\$1345 COL C \$1050 \$1080 \$1110 \$1143 \$1177 COL COL C C S1207	\$1446     D     \$1141     \$1172     \$1206     \$1242     \$1279     D     \$1297	\$1548 E \$1232 \$1266 \$1302 \$1340 \$1381 E \$1389	\$1648 F \$1322 \$1359 \$1439 \$1439 \$1482 \$1482	\$1749 G \$1413 \$1452 \$1493 \$1538 \$1584 \$1584 \$1570	\$1850 H \$1503 \$1546 \$1590 \$1636 \$1686	\$1950 Approxim \$1594 \$1638 \$1686 \$1735 \$1787 Approxim   \$1751	\$2052 ate Shipp \$1685 \$1732 \$1781 \$1834 \$1889 ate Shipp J \$1841	\$2153 bing weigh K \$1776 \$1826 \$1877 \$1932 \$1991 bing weigh K \$1932	\$2254 L \$1867 \$1918 \$1974 \$2031 \$2093 tt: 55 lbs L \$2022
5313M-RSS/LSS Fully Uph. Arm Chair Metal Base 5313MW-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 27W 27D 32H	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 5 ZONE 1 ZONE 1	\$1144     COM A     \$869     \$893     \$918     \$946     \$974     COM A     \$1026     \$1053	\$1244 В \$960 \$986 \$1014 \$1044 \$1075 В \$1116 \$1146	\$1345 \$1345 COL C \$1050 \$1100 \$1143 \$1143 \$1177 COL C \$1207 \$1239	D S1141 S1172 S1206 S1242 S1279 D S1297 S1332	\$1548 \$1232 \$1232 \$1266 \$1302 \$1340 \$1381 Е \$1389 \$1425	\$1648 F \$1322 \$1359 \$1398 \$1439 \$1482 \$1482 \$1482 \$1482	\$1749 G \$1413 \$1452 \$1493 \$1538 \$1584 \$1584 G \$1570 \$1611	\$1850 H \$1503 \$1546 \$1590 \$1636 \$1686 H \$1660 \$1703	\$1950 Approxim \$1594 \$1638 \$1686 \$1735 \$1787 Approxim   \$1751 \$1797	\$2052 ate Shipp \$1685 \$1732 \$1781 \$1834 \$1889 ate Shipp J \$1841 \$1890	\$2153 bing weigh к \$1776 \$1826 \$1877 \$1932 \$1991 bing weigh к \$1932 \$1983	\$2254 L \$1867 \$1918 \$1974 \$2031 \$2093 ht: 55 lbs L \$2022 \$2075
5313M-RSS/LSS Fully Uph. Arm Chair Metal Base 5313MW-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 2 ZONE 3	\$1144 \$1144 \$869 \$893 \$918 \$918 \$946 \$974 \$974 \$1026 \$1053 \$1081	\$1244 В \$960 \$986 \$1014 \$1044 \$1075 В \$1116 \$1116 \$1177	\$1345 \$1345 COL \$1050 \$1080 \$1110 \$1143 \$1177 COL C \$1207 \$1239 \$1272	S1446 D \$1141 \$1172 \$1206 \$1242 \$1279 \$1227 \$1297 \$1332 \$1368	\$1548 Е \$1232 \$1266 \$1302 \$1340 \$1381	\$1648 F \$1322 \$1359 \$1439 \$1482 \$1482 \$1482 \$1482 \$1482 \$1518	\$1749 G \$1413 \$1452 \$1493 \$1538 \$1584 \$1584 \$1584 \$1570 \$1611 \$1655	\$1850 H \$1503 \$1546 \$1636 \$1686 \$1686 \$1686 \$1703 \$1703	\$1950 Approxim \$1594 \$1638 \$1686 \$1735 \$1787 Approxim 1 \$1751 \$1797 \$1845	\$2052 ate Shipp \$1685 \$1732 \$1781 \$1834 \$1889 ate Shipp \$1841 \$1890 \$1941	\$2153 bing weigh K \$1776 \$1826 \$1877 \$1932 \$1991 bing weigh K \$1932 \$1933 \$2036	\$2254 t: 55 lbs \$1867 \$1918 \$1974 \$2031 \$2093 t: 55 lbs L \$2093 t: 55 lbs \$2093 \$2093
5313M-RSS/LSS Fully Uph. Arm Chair Metal Base 5313MW-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 27W 27D 32H Inside	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 4 ZONE 5 ZONE 2 ZONE 1 ZONE 2 ZONE 3 ZONE 4	\$1144 \$1144 \$869 \$893 \$918 \$946 \$974 \$974 \$053 \$1026 \$1023 \$1081 \$1112	\$1244 B \$960 \$986 \$1014 \$1044 \$1075 B \$1116 \$1116 \$1146 \$1177 \$1209	\$1345 \$1345 COL C \$1050 \$1080 \$1143 \$1143 \$1177 COL C \$1207 \$1239 \$1272 \$1308	\$1446   D   \$1141   \$1172   \$1206   \$1227   \$1279   D   \$1297   \$1332   \$1368   \$1406	\$1548 E \$1232 \$1266 \$1302 \$1340 \$1381 \$1381 \$1389 \$1425 \$1464 \$1504	\$1648 F \$1322 \$1359 \$1439 \$1439 \$1482 \$1482 \$1482 \$1482 \$1479 \$1518 \$1559 \$1603	\$1749 G \$1413 \$1452 \$1493 \$1538 \$1584 \$1584 \$1570 \$1611 \$1655 \$1700	\$1850 H \$1503 \$1546 \$1590 \$1636 \$1686 \$1686 \$1686 \$1680 \$1703 \$1750	\$1950 Approxim \$1594 \$1638 \$1686 \$1735 \$1787 \$1787 \$1751 \$1751 \$1797 \$1845 \$1896	\$2052 ate Shipp \$1685 \$1732 \$1781 \$1834 \$1889 ate Shipp \$1841 \$1890 \$1941 \$1995	\$2153 bing weigh K \$1776 \$1826 \$1877 \$1932 \$1991 bing weigh K \$1932 \$1993 \$1983 \$2036 \$2094	\$2254 L \$1867 \$1918 \$1974 \$2031 \$2093 xt: 55 lbs L \$2092 \$2075 \$2132 \$2191
5313M-RSS/LSS Fully Uph. Arm Chair Metal Base 5313MW-RSS/LSS	Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19 3.5 yd. 60 sq. ft. Dimensions/ Yardage Outside 27W 27D 32H Inside A/H 25 S/H 19	ZONE 5 Zone Grade ZONE 1 ZONE 2 ZONE 3 ZONE 4 ZONE 5 ZONE 5 ZONE 1 ZONE 1 ZONE 2 ZONE 3	\$1144 \$1144 \$869 \$893 \$918 \$918 \$946 \$974 \$974 \$1026 \$1053 \$1081	\$1244 В \$960 \$986 \$1014 \$1044 \$1075 В \$1116 \$1116 \$1177	\$1345 \$1345 COL \$1050 \$1080 \$1110 \$1143 \$1177 COL C \$1207 \$1239 \$1272	S1446 D \$1141 \$1172 \$1206 \$1242 \$1279 \$1227 \$1297 \$1332 \$1368	\$1548 Е \$1232 \$1266 \$1302 \$1340 \$1381	\$1648 F \$1322 \$1359 \$1439 \$1482 \$1482 \$1482 \$1482 \$1518 \$1518	\$1749 G \$1413 \$1452 \$1493 \$1538 \$1584 \$1584 \$1584 \$1570 \$1611 \$1655	\$1850 H \$1503 \$1546 \$1636 \$1636 \$1686 ¥1686 \$1703 \$1750 \$1759 \$1850	\$1950 Approxim \$1594 \$1638 \$1686 \$1735 \$1787 Approxim \$1751 \$1797 \$1845 \$1896 \$1950	\$2052 ate Shipp \$1685 \$1732 \$1781 \$1834 \$1889 ate Shipp \$1841 \$1890 \$1941	\$2153 ing weigh K \$1776 \$1826 \$1877 \$1932 \$1991 ing weigh K \$1932 \$1993 \$1933 \$2036 \$2094 \$2153	\$2254 L \$1867 \$1918 \$1974 \$2031 \$2093 t: 55 lbs L \$2093 t: 55 lbs \$2093 \$2095 \$2093 \$2095 \$2055 \$2



# **URBAN COLLECTION Armless Loveseats**

## Seat Construction: Webbing

Wood Species: Solid Beech Hardwood / Engineered Hardwood

SIN # 711-16

5320W Armless Love Seat	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1466	\$1566	\$1664	\$1764	\$1862	\$1961	\$2061	\$2159	\$2259	\$2357	\$2457	\$2556
	Outside 48W 27D 32H	ZONE 2	\$1508	\$1610	\$1712	\$1815	\$1916	\$2018	\$2120	\$2222	\$2324	\$2425	\$2528	\$2630
	Inside	ZONE 3	\$1553	\$1658	\$1763	\$1868	\$1973	\$2078	\$2183	\$2287	\$2392	\$2497	\$2602	\$2707
	S/H 19 4 yd. 68 sq. ft.	ZONE 4	\$1601	\$1709	\$1817	\$1925	\$2033	\$2141	\$2249	\$2357	\$2467	\$2575	\$2683	\$2791
• V	- yu. 00 sq. ft.	ZONE 5	\$1651	\$1763	\$1874	\$1986	\$2098	\$2209	\$2320	\$2433	\$2544	\$2655	\$2768	\$2879

Solid Wood Base

Approximate Shipping weight: 80 lbs

5320-M Armless Love Seat	Dimensions/ Yardage	Zone Grade	сом А	в	COL C	D	E	F	G	н		L	к	L
		ZONE 1		\$1474		\$1671		\$1868		\$2064	\$2161	\$2260		\$2456
MTI	Outside 48W 27D 32H	ZONE 2	\$1416	\$1517	\$1618	\$1718	\$1820	\$1921	\$2021	\$2122	\$2224	\$2325	\$2425	\$2526
	Inside	ZONE 3	\$1458	\$1561	\$1665	\$1769	\$1873	\$1977	\$2081	\$2185	\$2289	\$2392	\$2496	\$2600
	S/H 19 4 yd. 68 sg. ft.	ZONE 4	\$1502	\$1609	\$1716	\$1823	\$1930	\$2037	\$2144	\$2251	\$2359	\$2466	\$2573	\$2680
	.,	ZONE 5	\$1549	\$1659	\$1769	\$1879	\$1991	\$2101	\$2211	\$2321	\$2432	\$2542	\$2653	\$2763
Metal Base							Nonquilt	ina dotail	deduct ć	1501 int	Anneaving	ata Chinn	ing woigh	t. 00 lbs

Non quilting detail deduct \$150 List. Approximate Shipping weight: 80 lbs

5320-MW Armless Love Seat	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1523	\$1622	\$1721	\$1820	\$1920	\$2018	\$2118	\$2216	\$2316	\$2415	\$2513	\$2613
	Outside 48W 27D 32H	ZONE 2	\$1567	\$1670	\$1771	\$1873	\$1975	\$2077	\$2178	\$2280	\$2383	\$2485	\$2586	\$2688
	Inside	ZONE 3	\$1613	\$1718	\$1823	\$1928	\$2033	\$2138	\$2243	\$2348	\$2453	\$2558	\$2663	\$2768
	S/H 19 4 yd. 68 sg. ft.	ZONE 4	\$1663	\$1771	\$1879	\$1988	\$2096	\$2204	\$2312	\$2420	\$2528	\$2636	\$2744	\$2852
- J	- yu. 00 sq. it.	ZONE 5	\$1715	\$1827	\$1939	\$2050	\$2161	\$2274	\$2385	\$2496	\$2609	\$2720	\$2831	\$2943

Non quilting detail deduct \$150 List. Approximate Shipping weight: 80 lbs

Metal with Wood Trim Base



# **URBAN COLLECTION Open Arm Loveseats**

Seat Construction: Webbing Wood Species: Solid Beech Hardwood / Engineered Hardwood

SIN # 711-16

5321W Open Arm Love Seat	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1782	\$1882	\$1980	\$2080	\$2178	\$2277	\$2377	\$2475	\$2575	\$2673	\$2773	\$2872
	Outside 52W 27D 32H	ZONE 2	\$1824	\$1926	\$2028	\$2131	\$2232	\$2334	\$2436	\$2538	\$2639	\$2741	\$2844	\$2946
	Inside	ZONE 3	\$1869	\$1974	\$2079	\$2184	\$2289	\$2393	\$2498	\$2603	\$2708	\$2813	\$2918	\$3023
	S/H19 A/H25 4 yd. 68 sg. ft.	ZONE 4	\$1916	\$2025	\$2133	\$2241	\$2349	\$2457	\$2565	\$2673	\$2783	\$2891	\$2999	\$3107
	- yu. 00 sq. ft.	ZONE 5	\$1967	\$2079	\$2190	\$2302	\$2414	\$2525	\$2636	\$2749	\$2860	\$2971	\$3084	\$3195
Solid Wood Base											Approxim	ate Shipp	ina weiah	t: 90 lbs

Approximate Shipping weight: 90 lbs

-M	Dimensions/	Zone	сом		COL									
n Arm Love Seat	Yardage	Grade	A	В	С	D	E	F	G	н	I	J	K	L
$\frown$		ZONE 1	\$1693	\$1790	\$1889	\$1986	\$2085	\$2184	\$2281	\$2380	\$2477	\$2576	\$2674	\$2772
	Outside 52W 27D 32H	ZONE 2	\$1732	\$1833	\$1933	\$2034	\$2136	\$2237	\$2337	\$2438	\$2540	\$2640	\$2741	\$2842
	Inside	ZONE 3	\$1773	\$1877	\$1981	\$2085	\$2189	\$2293	\$2397	\$2501	\$2604	\$2708	\$2812	\$2916
	S/H19 A/H25 4 yd. 68 sg. ft.	ZONE 4	\$1818	\$1925	\$2032	\$2139	\$2246	\$2353	\$2460	\$2567	\$2674	\$2781	\$2889	\$2996
	4 yu. 00 sq. rt.	ZONE 5	\$1865	\$1975	\$2085	\$2195	\$2307	\$2417	\$2527	\$2637	\$2748	\$2858	\$2969	\$3079

Metal Base

Non quilting detail deduct \$150 List. Approximate Shipping weight: 90 lbs

5321-MW	Dimensions/	Zone	сом		COL									
Open Arm Love Seat	Yardage	Grade	А	В	С	D	E	F	G	н	1	J	ĸ	L
		ZONE 1	\$1839	\$1938	\$2037	\$2136	\$2236	\$2334	\$2434	\$2532	\$2632	\$2731	\$2829	\$2929
	Outside 52W 27D 32H	ZONE 2	\$1883	\$1985	\$2087	\$2189	\$2291	\$2392	\$2494	\$2596	\$2699	\$2801	\$2902	\$3004
	Inside	ZONE 3	\$1929	\$2034	\$2139	\$2244	\$2349	\$2454	\$2559	\$2664	\$2769	\$2874	\$2979	\$3084
	S/H19 A/H25 4 yd. 68 sg. ft.	ZONE 4	\$1979	\$2087	\$2195	\$2303	\$2412	\$2520	\$2628	\$2736	\$2844	\$2952	\$3060	\$3168
	- yu. oo sq. rt.	ZONE 5	\$2031	\$2143	\$2255	\$2366	\$2477	\$2590	\$2701	\$2812	\$2925	\$3036	\$3147	\$3258
Metal with Wood Trim Base							Non quilt	ting detail	deduct \$	150 List. /	Approxim	ate Shipp	ing weigh	nt: 90 lbs

5321-Open



# **URBAN COLLECTION Closed Arm Loveseats**

Seat Construction: Webbing

Wood Species: Solid Beech Hardwood / Engineered Hardwood

SIN # 711-16

5322W	Dimensions/	Zone	СОМ	_	COL		_	_						
Closed Arm Love Seat	Yardage	Grade	A	В	С	D	E	F	G	н		J	К	L
$\sim$		ZONE 1	\$2031	\$2131	\$2229	\$2329	\$2427	\$2526	\$2626	\$2724	\$2824	\$2922	\$3022	\$3121
	Outside 52W 27D 32H	ZONE 2	\$2073	\$2175	\$2277	\$2380	\$2481	\$2583	\$2685	\$2787	\$2889	\$2990	\$3093	\$3195
	Inside	ZONE 3	\$2118	\$2223	\$2328	\$2433	\$2538	\$2643	\$2748	\$2852	\$2957	\$3062	\$3167	\$3272
	S/H19 A/H25 4 yd. 68 sg. ft.	ZONE 4	\$2166	\$2274	\$2382	\$2490	\$2598	\$2706	\$2814	\$2922	\$3032	\$3140	\$3248	\$3356
	. )	ZONE 5	\$2216	\$2328	\$2439	\$2551	\$2663	\$2774	\$2885	\$2998	\$3109	\$3220	\$3333	\$3444

5322-M	Dimensions/	Zone	СОМ		COL	_	_	_	_					
Closed Arm Love Seat	Yardage	Grade	A	В	С	D	E	F	G	н		J	к	L L
		ZONE 1	\$1942	\$2039	\$2138	\$2236	\$2334	\$2433	\$2530	\$2629	\$2726	\$2825	\$2923	\$3021
	Outside 52W 27D 32H	ZONE 2	\$1981	\$2082	\$2183	\$2283	\$2385	\$2486	\$2586	\$2687	\$2789	\$2890	\$2990	\$3091
	Inside	ZONE 3	\$2022	\$2126	\$2230	\$2334	\$2438	\$2542	\$2646	\$2750	\$2854	\$2957	\$3061	\$3165
	S/H19 A/H25 4 yd. 68 sg. ft.	ZONE 4	\$2067	\$2174	\$2281	\$2388	\$2495	\$2602	\$2709	\$2816	\$2923	\$3031	\$3138	\$3245
	- 90.00 34.10.	ZONE 5	\$2114	\$2224	\$2334	\$2444	\$2556	\$2666	\$2776	\$2886	\$2997	\$3107	\$3218	\$3328
Metal Base											Approxim	ate Shipp	oing weigh	1t: 95 lbs

5322-MW	Dimensions/	Zone	СОМ		COL		-	F	6				K	
Closed Arm Love Seat	Yardage	Grade	A	В	C	D	E	F	G	н		J	K	
		ZONE 1	\$2088	\$2187	\$2286	\$2385	\$2485	\$2583	\$2683	\$2781	\$2881	\$2980	\$3078	\$3178
	Outside 52W 27D 32H	ZONE 2	\$2132	\$2234	\$2336	\$2438	\$2540	\$2642	\$2743	\$2845	\$2948	\$3050	\$3151	\$3253
	Inside	ZONE 3	\$2178	\$2283	\$2388	\$2493	\$2598	\$2703	\$2808	\$2913	\$3018	\$3123	\$3228	\$3333
	S/H19 A/H25 4 yd. 68 sg. ft.	ZONE 4	\$2228	\$2336	\$2444	\$2552	\$2661	\$2769	\$2877	\$2985	\$3093	\$3201	\$3309	\$3417
Metal with	. ) al 60 64. (al	ZONE 5	\$2280	\$2392	\$2504	\$2615	\$2726	\$2839	\$2950	\$3061	\$3174	\$3285	\$3396	\$3508

Approximate Shipping weight: 95 lbs



# **URBAN COLLECTION** Fully Uph. Arm Loveseats

Seat Construction: Webbing Wood Species: Solid Beech Hardwood / Engineered Hardwood

SIN # 711-16

Fully Uph. Arm Love Seat

5323W

Dimensions/	Zone	сом		COL									
Yardage	Grade	А	В	С	D	E	F	G	н	I	J	к	L
	ZONE 1	\$1647	\$1747	\$1845	\$1945	\$2044	\$2142	\$2242	\$2340	\$2440	\$2539	\$2638	\$2737
Outside 52W 27D 32H	ZONE 2	\$1690	\$1791	\$1893	\$1996	\$2098	\$2200	\$2301	\$2403	\$2505	\$2607	\$2709	\$2811
Inside	ZONE 3	\$1734	\$1839	\$1944	\$2049	\$2154	\$2259	\$2364	\$2469	\$2574	\$2679	\$2784	\$2889
S/H19 A/H25 5 yd.85 sg. ft.	ZONE 4	\$1782	\$1890	\$1998	\$2106	\$2214	\$2322	\$2431	\$2539	\$2648	\$2756	\$2864	\$2972
5 yu.05 sq. rt.	ZONE 5	\$1833	\$1944	\$2055	\$2168	\$2279	\$2390	\$2502	\$2614	\$2725	\$2837	\$2949	\$3060

Solid Wood Base

Approximate Shipping weight: 95 lbs

5323-M	Dimensions/	Zone	сом		COL									
Fully Uph. Arm Love Seat	Yardage	Grade	А	В	С	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1558	\$1656	\$1754	\$1852	\$1950	\$2049	\$2147	\$2245	\$2343	\$2441	\$2540	\$2637
Th	Outside 52W 27D 32H	ZONE 2	\$1597	\$1698	\$1799	\$1900	\$2001	\$2102	\$2203	\$2303	\$2405	\$2506	\$2607	\$2707
	Inside	ZONE 3	\$1639	\$1743	\$1847	\$1950	\$2054	\$2158	\$2262	\$2366	\$2470	\$2574	\$2678	\$2781
	S/H19 A/H25 5 yd.85 sg. ft.	ZONE 4	\$1683	\$1790	\$1897	\$2004	\$2112	\$2219	\$2326	\$2433	\$2540	\$2647	\$2754	\$2861
J	o y aloo oqi ita	ZONE 5	\$1730	\$1840	\$1950	\$2061	\$2172	\$2282	\$2392	\$2503	\$2613	\$2723	\$2834	\$2945
Metal Base											Approvim	ato Chinn	ing woigh	at: OF lbc

Approximate Shipping weight: 95 lbs

5323-MW Fully Uph. Arm Love Seat	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1704	\$1803	\$1903	\$2001	\$2101	\$2200	\$2299	\$2398	\$2497	\$2596	\$2695	\$2794
Th	Outside 52W 27D 32H	ZONE 2	\$1748	\$1851	\$1953	\$2054	\$2156	\$2258	\$2360	\$2461	\$2564	\$2666	\$2768	\$2869
	Inside	ZONE 3	\$1795	\$1900	\$2004	\$2109	\$2214	\$2319	\$2424	\$2529	\$2634	\$2739	\$2844	\$2949
	S/H19 A/H25 5 yd.85 sg. ft.	ZONE 4	\$1844	\$1953	\$2061	\$2169	\$2277	\$2385	\$2493	\$2601	\$2709	\$2817	\$2926	\$3034
	5 yu.05 3q. it.	ZONE 5	\$1896	\$2009	\$2120	\$2231	\$2343	\$2455	\$2566	\$2678	\$2790	\$2901	\$3013	\$3124
Metal with Wood Trim Base											Approxim	ate Shipp	ing weigh	nt: 95 lbs

# URBAN COLLECTION



# Benches

Seat Construction: Webbing Wood Species: Solid Beech Hardwood / Engineered Hardwood

SIN # 711-16

5341W Bench	Dimensions/ Yardage	Zone Grade	СОМ А	в	COL C	D	E	F	G	н	I	L	к	L
		ZONE 1	\$699	\$731	\$764	\$797	\$830	\$863	\$896	\$929	\$961	\$994	\$1027	\$1060
		ZONE 2	\$717	\$750	\$783	\$817	\$851	\$885	\$919	\$952	\$986	\$1020	\$1054	\$1087
	24W 24D 19H 1.5 yd. 26 sq. ft.	ZONE 3	\$735	\$770	\$805	\$838	\$873	\$908	\$942	\$977	\$1011	\$1046	\$1081	\$1115
		ZONE 4	\$755	\$791	\$826	\$862	\$897	\$932	\$968	\$1003	\$1039	\$1074	\$1110	\$1145
Solid Wood Base		ZONE 5	\$776	\$812	\$848	\$885	\$921	\$958	\$994	\$1030	\$1067	\$1103	\$1141	\$1177
											Approxim	iate Shipp	oing weigr	10:35 105
5341-M	Dimensions/	Zone	сом		COL									
Bench	Yardage	Grade	A	В	С	D	E	F	G	н		J	к	L
~		ZONE 1	\$670	\$703	\$736	\$769	\$801	\$834	\$867	\$900	\$933	\$966	\$999	\$1031
$\langle \rangle$		ZONE 2	\$687	\$721	\$755	\$789	\$822	\$855	\$889	\$923	\$957	\$990	\$1024	\$1058
	24W 24D 19H 1.5 yd. 26 sg. ft.	ZONE 3	\$705	\$740	\$774	\$809	\$844	\$878	\$913	\$947	\$982	\$1017	\$1050	\$1085
		ZONE 4	\$724	\$760	\$795	\$830	\$866	\$901	\$937	\$972	\$1008	\$1043	\$1079	\$1114

Approximate Shipping weight: 35 lbs

5341-MW Bench	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$756	\$789	\$822	\$854	\$887	\$920	\$953	\$986	\$1019	\$1052	\$1084	\$1117
$\square$		ZONE 2	\$775	\$809	\$842	\$876	\$909	\$943	\$977	\$1010	\$1044	\$1078	\$1112	\$1146
	24W 24D 19H	ZONE 3	\$795	\$830	\$864	\$899	\$933	\$968	\$1003	\$1037	\$1072	\$1106	\$1141	\$1176
ů li	1.5 yd. 26 sq. ft.	ZONE 4	\$816	\$852	\$887	\$923	\$958	\$994	\$1029	\$1064	\$1100	\$1135	\$1171	\$1206
Metal with Wood Trim Base		ZONE 5	\$838	\$876	\$912	\$948	\$985	\$1021	\$1058	\$1094	\$1131	\$1167	\$1203	\$1240

Approximate Shipping weight: 35 lbs




Dimensions/

# **URBAN COLLECTION**

# **Benches**

Seat Construction: Webbing Wood Species: Solid Beech Hardwood / Engineered Hardwood

SIN # 711-16



5342W

сом COL Zone Grade А в С D Е F G н ı. J κ L ZONE 1 \$1031 \$1119 \$1338 \$1382 \$1426 \$1469 \$988 \$1075 \$1163 \$1206 \$1251 \$1294 ZONE 2 \$1013 \$1058 \$1102 \$1148 \$1193 \$1237 \$1283 \$1327 \$1372 \$1417 \$1462 \$1507 ZONE 3 \$1085 \$1039 \$1131 \$1178 \$1223 \$1270 \$1315 \$1362 \$1408 \$1454 \$1500 \$1547 ZONE 4 \$1067 \$1114 \$1162 \$1209 \$1256 \$1304 \$1352 \$1398 \$1446 \$1492 \$1540 \$1588 ZONE 5 \$1096 \$1145 \$1194 \$1242 \$1291 \$1340 \$1389 \$1437 \$1485 \$1534 \$1583 \$1631

Solid Wood Base

Approximate Shipping weight: 60 lbs

	Dimensions/ Yardage	Zone Grade	сом А	в	COL C	D	Е	F	G	н	_	J	к	L
	5 .								-					
		ZONE 1	\$876	\$920	\$964	\$1007	\$1052	\$1095	\$1138	\$1183	\$1226	\$1270	\$1314	\$1358
		ZONE 2	\$898	\$943	\$988	\$1034	\$1078	\$1123	\$1168	\$1213	\$1257	\$1303	\$1347	\$1393
	24W 48D 19H 2 yd. 34 sg. ft.	ZONE 3	\$922	\$968	\$1014	\$1060	\$1106	\$1152	\$1198	\$1244	\$1290	\$1337	\$1382	\$1429
	2 yu. 34 34.10.	ZONE 4	\$947	\$994	\$1041	\$1089	\$1135	\$1183	\$1231	\$1277	\$1325	\$1373	\$1419	\$1467
Base		ZONE 5	\$972	\$1021	\$1070	\$1118	\$1167	\$1216	\$1265	\$1313	\$1361	\$1410	\$1459	\$1507

Approximate Shipping weight: 60 lbs

5342-MW Bench	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	L	к	L
		ZONE 1	\$1029	\$1073	\$1117	\$1161	\$1204	\$1249	\$1292	\$1336	\$1380	\$1424	\$1467	\$1512
		ZONE 2	\$1056	\$1100	\$1146	\$1190	\$1235	\$1280	\$1325	\$1370	\$1415	\$1460	\$1504	\$1550
	24W 48D 19H 2 yd. 34 sq. ft.	ZONE 3	\$1083	\$1129	\$1176	\$1221	\$1268	\$1313	\$1360	\$1406	\$1452	\$1498	\$1544	\$1590
	2 yu. 34 sq. n.	ZONE 4	\$1112	\$1160	\$1206	\$1254	\$1302	\$1348	\$1396	\$1444	\$1490	\$1538	\$1586	\$1632
Metal with Wood Trim Base		ZONE 5	\$1143	\$1191	\$1240	\$1289	\$1337	\$1385	\$1434	\$1483	\$1532	\$1580	\$1629	\$1678

Approximate Shipping weight: 60 lbs





# **URBAN COLLECTION**



# Benches

Seat Construction: Webbing Wood Species: Beech Hardwood / Engineered Hardwood

SIN # 711-16

	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	Ι	ſ	к	L
		ZONE 1	\$1129	\$1179	\$1227	\$1277	\$1326	\$1376	\$1425	\$1473	\$1523	\$1572	\$1622	\$1671
		ZONE 2	\$1158	\$1208	\$1259	\$1309	\$1360	\$1411	\$1461	\$1512	\$1562	\$1612	\$1663	\$1714
	33W 33D 19H 2.25 yd. 39 sg. ft.	ZONE 3	\$1188	\$1240	\$1291	\$1343	\$1395	\$1447	\$1499	\$1551	\$1603	\$1655	\$1707	\$1759
	2.20 ) 0. 00 04. 10	ZONE 4	\$1220	\$1273	\$1326	\$1379	\$1433	\$1486	\$1539	\$1592	\$1645	\$1699	\$1752	\$1805
U		ZONE 5	\$1253	\$1308	\$1363	\$1417	\$1472	\$1526	\$1582	\$1637	\$1691	\$1746	\$1800	\$1855

Solid Wood Base

5343W Bench

Approximate Shipping weight: 55 lbs

5343-M Bench	Dimensions/ Yardage	Zone Grade	сом А	в	COL C	D	E	F	G	н	I	L	к	L
		ZONE 1	\$925	\$974	\$1024	\$1073	\$1123	\$1171	\$1221	\$1270	\$1320	\$1368	\$1418	\$1467
		ZONE 2	\$949	\$1000	\$1049	\$1100	\$1151	\$1201	\$1252	\$1303	\$1353	\$1403	\$1454	\$1504
	33W 33D 19H 2.25 yd. 39 sg. ft.	ZONE 3	\$973	\$1025	\$1077	\$1129	\$1181	\$1233	\$1285	\$1337	\$1389	\$1441	\$1492	\$1544
	2.25 yu. 55 sq. m.	ZONE 4	\$1000	\$1053	\$1107	\$1160	\$1213	\$1266	\$1319	\$1373	\$1426	\$1479	\$1532	\$1586
U Metal Base		ZONE 5	\$1027	\$1082	\$1136	\$1191	\$1246	\$1301	\$1356	\$1410	\$1465	\$1519	\$1574	\$1629

Approximate Shipping weight: 55 lbs

5343-MW Bench	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1123	\$1171	\$1221	\$1270	\$1320	\$1368	\$1418	\$1467	\$1517	\$1566	\$1615	\$1664
	33W 33D 19H	ZONE 2	\$1151	\$1201	\$1252	\$1303	\$1353	\$1403	\$1454	\$1504	\$1555	\$1606	\$1657	\$1707
	33W 33D 19H 2.25 yd. 39 sq. ft.	ZONE 3	\$1181	\$1233	\$1285	\$1337	\$1389	\$1441	\$1492	\$1544	\$1595	\$1647	\$1699	\$1751
R L L		ZONE 4	\$1213	\$1266	\$1319	\$1373	\$1426	\$1479	\$1532	\$1586	\$1639	\$1692	\$1745	\$1798
Metal with Wood Trim Base		ZONE 5	\$1246	\$1301	\$1356	\$1410	\$1465	\$1519	\$1574	\$1629	\$1683	\$1738	\$1794	\$1848

Approximate Shipping weight: 55 lbs



# URBAN COLLECTION Corner Lounge

Seat Construction: Webbing Wood Species: Beech Hardwood / Engineered Hardwood

SIN # 711-16

5324-M Corner Loungr	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	ſ	к	L
5		ZONE 1	\$1123	\$1171	\$1221	\$1270	\$1320	\$1368	\$1418	\$1467	\$1517	\$1566	\$1615	\$1664
		ZONE 2	\$1151	\$1201	\$1252	\$1303	\$1353	\$1403	\$1454	\$1504	\$1555	\$1606	\$1657	\$1707
	33W 33D 32H 2.25 yd. 39 sg. ft.	ZONE 3	\$1181	\$1233	\$1285	\$1337	\$1389	\$1441	\$1492	\$1544	\$1595	\$1647	\$1699	\$1751
	2.25 yu. 55 sq. tt.	ZONE 4	\$1213	\$1266	\$1319	\$1373	\$1426	\$1479	\$1532	\$1586	\$1639	\$1692	\$1745	\$1798
Metal Base		ZONE 5	\$1246	\$1301	\$1356	\$1410	\$1465	\$1519	\$1574	\$1629	\$1683	\$1738	\$1794	\$1848

Approximate Shipping weight: 55 lbs

# **URBAN COLLECTION** Tables



## Wood Species: Beech Hardwood / Engineered Hardwood

SIN # 711-16

5351W	Dimensions/
Table	Yardage
	24W 24D 18H
	1.25 yd. 22 sq. ft.

ns/	Zone	СОМ		COL										
9	Grade	А	В	С	D	Е	F	G	н	I	J	к	L	
	ZONE 1	\$969	\$986	\$1002	\$1019	\$1035	\$1052	\$1067	\$1084	\$1100	\$1117	\$1133	\$1150	
	ZONE 2	\$994	\$1010	\$1027	\$1044	\$1061	\$1078	\$1095	\$1112	\$1129	\$1146	\$1162	\$1179	
.8H g. ft.	ZONE 3	\$1020	\$1037	\$1055	\$1072	\$1089	\$1106	\$1124	\$1141	\$1158	\$1176	\$1193	\$1209	
q c.	ZONE 4	\$1047	\$1064	\$1082	\$1100	\$1118	\$1135	\$1153	\$1171	\$1189	\$1206	\$1224	\$1242	
	ZONE 5	\$1076	\$1094	\$1112	\$1131	\$1149	\$1167	\$1185	\$1203	\$1222	\$1240	\$1258	\$1276	

Solid Wood Base

Approximate Shipping weight: 50 lbs

5351-M	Dimensions/	Zone	сом		COL									
Table	Yardage	Grade	А	В	С	D	E	F	G	н	I	J	к	L
		ZONE 1	\$871	\$914	\$957	\$1000	\$1041	\$1084	\$1127	\$1170	\$1213	\$1256	\$1299	\$1340
	24W 24D 18H	ZONE 2	\$893	\$937	\$982	\$1026	\$1069	\$1112	\$1156	\$1200	\$1244	\$1287	\$1331	\$1375
	24W 24D 18H 1.25 yd. 22 sq. ft.	ZONE 3	\$917	\$962	\$1006	\$1052	\$1097	\$1141	\$1187	\$1231	\$1277	\$1322	\$1365	\$1411
	1.25 yu. 22 sq. rt.	ZONE 4	\$941	\$988	\$1034	\$1079	\$1126	\$1171	\$1218	\$1264	\$1310	\$1356	\$1403	\$1448
		ZONE 5	\$967	\$1014	\$1062	\$1109	\$1156	\$1204	\$1251	\$1300	\$1347	\$1394	\$1442	\$1489

Approximate Shipping weight: 50 lbs

5351-MW Table	Dimensions/ Yardage	Zone Grade	сом А	в	COL C	D	Е	F	G	н	1	J	к	L
~		ZONE 1	\$993	\$1009	\$1026	\$1042	\$1059	\$1075	\$1092	\$1108	\$1125	\$1141	\$1158	\$1173
	24W 24D 18H 1.25 yd. 22 sq. ft. –	ZONE 2	\$1019	\$1036	\$1053	\$1068	\$1085	\$1102	\$1119	\$1136	\$1153	\$1170	\$1187	\$1204
		ZONE 3	\$1045	\$1062	\$1079	\$1097	\$1114	\$1131	\$1149	\$1166	\$1183	\$1201	\$1218	\$1235
		ZONE 4	\$1073	\$1091	\$1109	\$1127	\$1144	\$1162	\$1180	\$1197	\$1215	\$1233	\$1251	\$1268
Metal with Wood Trim Base		ZONE 5	\$1102	\$1120	\$1140	\$1158	\$1176	\$1194	\$1212	\$1231	\$1249	\$1267	\$1285	\$1303

Approximate Shipping weight: 50 lbs

# **URBAN COLLECTION**

# Tables

Wood Species: Beech Hardwood / Engineered Hardwood

SIN # 711-16

Dimensions/	Zone	СОМ		COL									
Yardage	Grade	А	В	С	D	Е	F	G	н	I	J	к	L
	ZONE 1	\$1291	\$1319	\$1346	\$1373	\$1400	\$1428	\$1455	\$1483	\$1511	\$1537	\$1565	\$1592
	ZONE 2	\$1324	\$1352	\$1380	\$1408	\$1436	\$1464	\$1492	\$1520	\$1549	\$1576	\$1605	\$1632
24W 48D 18H 1.25 yd. 22 sq. ft.	ZONE 3	\$1359	\$1388	\$1416	\$1445	\$1473	\$1502	\$1532	\$1560	\$1589	\$1618	\$1646	\$1675
	ZONE 4	\$1395	\$1425	\$1454	\$1484	\$1513	\$1542	\$1572	\$1602	\$1631	\$1661	\$1691	\$1720
	ZONE 5	\$1433	\$1464	\$1494	\$1524	\$1555	\$1585	\$1615	\$1646	\$1676	\$1707	\$1737	\$1767
	Yardage 24W 48D 18H	Yardage Grade ZONE 1 Z4W 48D 18H 1.25 yd. 22 sq. ft. ZONE 3 ZONE 4	Yardage   Grade   A     Grade   A   ZONE 1   \$1291     ZONE 2   \$1324   ZONE 3   \$1359     1.25 yd. 22 sq. ft.   ZONE 4   \$1395	Yardage   Grade   A   B     Yardage   Grade   A   B     ZONE 1   \$1291   \$1319     ZONE 2   \$1324   \$1352     ZONE 3   \$1359   \$1388     ZONE 4   \$1395   \$1425	Yardage   Grade   A   B   C     Yardage   Grade   A   B   C     ZONE 1   \$1291   \$1319   \$1346     ZONE 2   \$1324   \$1352   \$1380     ZONE 3   \$1359   \$1388   \$1416     ZONE 4   \$1395   \$1425   \$1454	Yardage   Grade   A   B   C   D     Yardage   Grade   A   B   C   D     ZONE 1   \$1291   \$1319   \$1346   \$1373     ZONE 2   \$1324   \$1352   \$1380   \$1408     ZONE 3   \$1359   \$1388   \$1416   \$1445     ZONE 4   \$1395   \$1425   \$1454   \$1484	Yardage   Grade   A   B   C   D   E     Yardage   Grade   A   B   C   D   E     ZONE 1   \$1291   \$1319   \$1346   \$1373   \$1400     ZONE 2   \$1324   \$1352   \$1380   \$1408   \$1436     ZONE 2   \$1324   \$1352   \$1380   \$1408   \$1436     ZONE 3   \$1359   \$1388   \$1416   \$1445   \$1473     ZONE 4   \$1395   \$1425   \$1454   \$1513	Yardage   Grade   A   B   C   D   E   F     ZONE 1   \$1291   \$1319   \$1346   \$1373   \$1400   \$1428     ZONE 2   \$1324   \$1352   \$1380   \$1408   \$1436   \$1446     24W 48D 18H 1.25 yd. 22 sq. ft.   ZONE 3   \$1359   \$1388   \$1416   \$1473   \$1502	Yardage   Grade   A   B   C   D   E   F   G     Yardage   Grade   A   B   C   D   E   F   G     ZONE 1   \$1291   \$1319   \$1346   \$1373   \$1400   \$1428   \$1455     ZONE 2   \$1324   \$1352   \$1380   \$1408   \$1464   \$1492     ZONE 3   \$1359   \$1388   \$1416   \$1435   \$1464   \$1492     ZONE 3   \$1359   \$1388   \$1416   \$1473   \$1502   \$1532     ZONE 4   \$1395   \$1425   \$1454   \$1484   \$1513   \$1542   \$1572	Yardage   Grade   A   B   C   D   E   F   G   H     Z0NE1   \$1291   \$1319   \$1346   \$1373   \$1400   \$1428   \$1455   \$1483     Z4W 48D 18H 1.25 yd. 22 sq. ft   ZONE 2   \$1324   \$1352   \$1380   \$1408   \$1464   \$1492   \$1520     ZONE 2   \$1329   \$1385   \$1416   \$1405   \$1473   \$1502   \$1520     ZONE 3   \$1359   \$1388   \$1416   \$1445   \$1473   \$1502   \$1520     ZONE 4   \$1395   \$1425   \$1454   \$1475   \$1502   \$1520     ZONE 4   \$1395   \$1425   \$1426   \$1473   \$1502   \$1502   \$1502     ZONE 4   \$1395   \$1425   \$1454   \$1513   \$1520   \$1502	Yardage   Grade   A   B   C   D   E   F   G   H   I     Yardage   Grade   A   B   C   D   E   F   G   H   I     ZONE1   \$1291   \$1319   \$1346   \$1373   \$1400   \$1428   \$1455   \$1433   \$1511     ZONE2   \$1324   \$1352   \$1380   \$1408   \$1436   \$1464   \$1492   \$1520   \$1549     ZONE2   \$1324   \$1352   \$1380   \$1408   \$1435   \$1464   \$1492   \$1520   \$1549     ZONE3   \$1359   \$1388   \$1416   \$1445   \$1473   \$1502   \$1520   \$1569     ZONE4   \$1395   \$1425   \$1454   \$1473   \$1502   \$1502   \$1503   \$1503   \$1503   \$1504   \$1503	Yardage   Grade   A   B   C   D   E   F   G   H   I   J     Yardage   Grade   A   B   C   D   E   F   G   H   I   J     ZONE1   \$1291   \$1393   \$1346   \$1373   \$1400   \$1428   \$1453   \$1513   \$1537     Z4W 48D 18H   ZONE 2   \$1324   \$1352   \$1380   \$1408   \$1436   \$1492   \$1520   \$1549   \$1576     Z4W 48D 18H   ZONE 2   \$1329   \$1380   \$1440   \$1435   \$1473   \$1502   \$1520   \$1549   \$1576     Z4W 48D 18H   S1053   \$1435   \$1445   \$1443   \$1473   \$1502   \$1503   \$1549   \$1513     ZONE 4   \$1395   \$1425   \$1454   \$1435   \$1513   \$152   \$1502   \$1602   \$1613   \$1614	Yardage   Grade   A   B   C   D   E   F   G   H   I   J   K     Yardage   Grade   A   B   C   D   E   F   G   H   I   J   K     Zone1   \$1291   \$1309   \$1346   \$1373   \$1400   \$1428   \$1453   \$1431   \$1511   \$1573   \$1565     Zone2   \$1324   \$1352   \$1380   \$1408   \$1464   \$1492   \$1520   \$1549   \$1565     Zone3   \$1359   \$1380   \$1405   \$1473   \$1562   \$1520   \$1549   \$1576   \$1665     Zone4   \$1395   \$1438   \$1415   \$1473   \$1520   \$1589   \$1618   \$1646     Zone4   \$1395   \$1425   \$1484   \$1513   \$152   \$160   \$1631   \$1616   \$1649

Approximate Shipping weight: 90 lbs

5352-M Table	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1151	\$1179	\$1205	\$1233	\$1260	\$1288	\$1315	\$1343	\$1370	\$1397	\$1425	\$1452
	24W 48D 18H 1.25 yd. 22 sq. ft.	ZONE 2	\$1180	\$1208	\$1236	\$1265	\$1292	\$1321	\$1348	\$1377	\$1405	\$1433	\$1461	\$1489
		ZONE 3	\$1211	\$1240	\$1269	\$1297	\$1326	\$1355	\$1383	\$1413	\$1442	\$1470	\$1499	\$1527
		ZONE 4	\$1243	\$1273	\$1303	\$1332	\$1362	\$1392	\$1420	\$1450	\$1480	\$1509	\$1539	\$1569
Metal Base		ZONE 5	\$1277	\$1308	\$1339	\$1368	\$1399	\$1430	\$1460	\$1490	\$1521	\$1551	\$1582	\$1612

Approximate Shipping weight: 90 lbs

5352-MW Table	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1304	\$1331	\$1359	\$1386	\$1414	\$1442	\$1468	\$1496	\$1523	\$1551	\$1578	\$1605
		ZONE 2	\$1338	\$1365	\$1394	\$1421	\$1450	\$1478	\$1506	\$1534	\$1562	\$1590	\$1618	\$1646
	24W 48D 18H 1.25 yd. 22 sg. ft.	ZONE 3	\$1373	\$1401	\$1430	\$1459	\$1487	\$1516	\$1545	\$1574	\$1603	\$1631	\$1660	\$1689
	1.25 yu. 22 sq. tt.	ZONE 4	\$1409	\$1438	\$1468	\$1498	\$1527	\$1557	\$1587	\$1617	\$1645	\$1675	\$1704	\$1734
Metal with Wood Trim Base		ZONE 5	\$1448	\$1478	\$1508	\$1539	\$1570	\$1600	\$1630	\$1661	\$1691	\$1721	\$1752	\$1782

Approximate Shipping weight: 90 lbs



# **URBAN COLLECTION**

# Tables



Wood Species: Beech Hardwood / Engineered Hardwood

SIN # 711-16

5353W Table	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	L	к	L
		ZONE 1	\$1559	\$1592	\$1625	\$1658	\$1691	\$1724	\$1756	\$1789	\$1822	\$1855	\$1888	\$1921
	33W 33D 18H	ZONE 2	\$1598	\$1632	\$1666	\$1700	\$1734	\$1767	\$1801	\$1835	\$1869	\$1902	\$1936	\$1969
	33W 33D 18H 1.5 yd.26 sq. ft.	ZONE 3	\$1641	\$1675	\$1710	\$1745	\$1779	\$1814	\$1848	\$1883	\$1918	\$1951	\$1986	\$2021
	1.5 yd.26 sq. ft.	ZONE 4	\$1684	\$1720	\$1755	\$1791	\$1826	\$1862	\$1897	\$1933	\$1968	\$2004	\$2039	\$2075
Solid Wood Base		ZONE 5	\$1731	\$1767	\$1804	\$1840	\$1877	\$1913	\$1949	\$1986	\$2022	\$2060	\$2096	\$2132

Approximate Shipping weight: 75 lbs


5353-M Table	Dimensions/ Yardage	Zone Grade	COM A	в	COL C	D	E	F	G	н	I	J	к	L
		ZONE 1	\$1191	\$1224	\$1257	\$1290	\$1323	\$1356	\$1389	\$1421	\$1454	\$1487	\$1520	\$1553
		ZONE 2	\$1222	\$1255	\$1289	\$1323	\$1357	\$1390	\$1424	\$1458	\$1491	\$1525	\$1558	\$1592
	33W 33D 18H 1.5 yd.26 sg. ft.	ZONE 3	\$1254	\$1288	\$1323	\$1357	\$1392	\$1427	\$1461	\$1496	\$1530	\$1565	\$1600	\$1633
L A	1.5 yu.20 sq. rt.	ZONE 4	\$1287	\$1323	\$1358	\$1394	\$1429	\$1465	\$1500	\$1536	\$1571	\$1607	\$1642	\$1678
Metal Base		ZONE 5	\$1323	\$1359	\$1396	\$1432	\$1468	\$1505	\$1541	\$1578	\$1614	\$1650	\$1688	\$1724

Approximate Shipping weight: 75 lbs

5353-MW Table	Dimensions/ Yardage	Zone Grade	сом А	в	COL	D	Е	F	G	н	1		к	1
	Turuuge				C		_	1			1	5		-
		ZONE 1	\$1477	\$1509	\$1542	\$1575	\$1608	\$1641	\$1674	\$1707	\$1738	\$1771	\$1804	\$1837
	33W 33D 18H 1.5 yd.26 sq. ft.	ZONE 2	\$1514	\$1548	\$1582	\$1614	\$1648	\$1682	\$1716	\$1749	\$1783	\$1817	\$1851	\$1885
		ZONE 3	\$1553	\$1588	\$1622	\$1657	\$1692	\$1726	\$1761	\$1795	\$1830	\$1865	\$1898	\$1933
n L l		ZONE 4	\$1594	\$1630	\$1665	\$1701	\$1736	\$1772	\$1807	\$1843	\$1878	\$1914	\$1949	\$1985
Metal with Wood Trim Base		ZONE 5	\$1639	\$1675	\$1712	\$1748	\$1784	\$1821	\$1857	\$1894	\$1930	\$1967	\$2003	\$2039

Approximate Shipping weight: 75 lbs

# ickory<sub>contract</sub>



- to one destination. All orders are priced according to the zones listed above. The zone is determined by the "ship to" destination. All prices listed are for shipments within the continental United States. Export and shipments to Alaska and Hawaii are freight prepaid and allowed to port of exit.
- 2. HC reserves the right to select the appropriate carrier for all shipments.
- 3. Special requests including but not limited to inside delivery residential delivery installation and call before delivery are not included in prices shown and are the responsibility of the dealer.
- 4. Any charges arising from failure to meet shipment rerouting

while in transit or carrier storage charges are the responsibility of the dealer.

5. Orders of less than 150 lbs. will be assessed a per order NET handling charge. This charge will be waived for items shipped via UPS.

Zone 1	- \$55	Zone 4 - \$80
Zone 2 8	\$ 3 - \$65	Zone 5 - \$95

6. HC will make every effort to ship orders complete but reserves the right to part ship when necessary.

## TRANSPORTATION CLAIMS

All furniture is carefully inspected and cartoned according to trucking and railroad requirements. The transportation company assumes full responsibility upon acceptance of the shipment. If shipment arrives damaged:

- · Note any visible loss or damage on freight bill
- In case of concealed loss or damage notify transportation company immediately and file "Concealed Damage" claim. This should be done within 5 days of receipt of furniture.
  - Be sure to retain the carton and packaging for inspection because the carton may not show outside damage.
    - · Take photos of damage and notify HC.

# TERMS AND CONDITIONS

# **hickory**contract

## GENERAL

All orders must be made in writing; faxed to 704.462.2672, mailed to: HC 7514 West NC #10 Hwy Vale NC 28168 or emailed to info@hlc-usa.com.

Possession of this price list does not constitute an offer to sell.

Orders can only be received from Authorized HC Dealers.

Prices shown in this price list are subject to change without notice. Should a typographical error be found HC reserves the right to make changes.

All Dimensions/s shown in this price list are approximate and subject to variation.

## TERMS

NET 30 DAYS. Please make payments for HC invoices to HC. All new account orders must be submitted to HC for approval. HC suggests current financial information for new customers to accompany their initial order to avoid approval delays. Allow two to three weeks for the credit approval process.

A 50% deposit payable to HC with your first order will expedite your shipment while credit is being established. All custom orders will require a 50% deposit payable to HC with the order.

## ACKNOWLEDGEMENTS

Order acknowledgments will be made for each order and will indicate final production specifications. Buyers should check acknowledgments to be sure that all order details are correct. Orders will not be acknowledged or entered for production until all specification information is complete. Accepted orders are subject to terms and conditions set forth in this price list and on our acknowledgment. This supersedes any variance in terms and conditions on buyer's purchase order.

HC is not liable for any delays or failure to deliver or perform due to fires floods accidents transportation difficulties failure due to delay of sources of supply acts of God or any other causes of like or unlike nature beyond HC's control.

## WAREHOUSING

As production space is at a premium orders will be shipped when completed. Any date other than such date must be approved by the factory. If an order is required to be warehoused due to buyer's request a charge will be levied for such (chairs and ottomans - \$20 list per week lounge chairs love seats and sofas - \$45 list per week). All orders being warehoused will be invoiced at normal time of shipping and paid for under normal terms and conditions. Failure of such could affect credit line.

#### CANCELLATION

Any order cancelled after it has been placed into production will be subject to a cancellation charge. This charge will be determined by HC based upon where the order is in production at time of cancellation request.

HC will make every effort to meet acknowledged shipping dates. However failure to meet such a date is not cause for cancellation.

#### WARRANTY

HC warrants to the original buyer that each piece of HC product will be free from defects in workmanship given normal use and care for ten years of single shift service except where noted in this price list.

HC assumes no responsibility for improper assembly modification abuse alteration negligent use or unauthorized repair work by the buyer.

This warranty does not cover: damage caused by a carrier; C.O.M. or C.O.L; gas cylinder-pneumatic lifts casters and mechanisms beyond the OEM warranty; color grain or texture of woods and other covering materials due to natural variations over which HC has no control.

HC does not offer warranty on textiles beyond what is offered by the supplier.

HC will either replace or repair at our option any parts of the product found to be defective within the terms of warranty. Such is the buyer's sole remedy. HC shall not be liable for consequential or incidental damage to persons or property.

Except as stated herein HC makes no expressed or implied warranties of merchantability or fitness of any HC product for any particular purpose.

All non-standard HC products have a one year limited warranty. All repair charges must be authorized in writing by HC for warranty work. Only after receipt of repair bill from party performing repairs will a credit or reimbursement take place. Do not return any merchandise without written permission from HC. Only warranted product will be considered.

Light finishes tend to highlight rather than mask the natural characteristics and color variation of wood which are not considered defects by HC. Likewise leather is characterized by variation in color from hide to hide and within hides and should be expected. Healed scars scratches insect bites and wrinkles are not considered defects in the leather.

#### WARNING

Direct sunlight can fade finishes leathers and upholstery; and can dry out leather and degrade some vinyl covers. HC cannot control nor be held responsible for sunlight damage.

## **PRODUCT SPECIFICATIONS**

#### DESIGN

HC reserves the right to make changes in design or construction detail without notice; therefore if it is desired that an order match an order previously shipped it must be clearly stated on your purchase order.

## MODIFICATIONS/CUSTOMS

HC has the ability to modify existing products and/or manufacture custom products. Please contact factory for information. This includes OEM Products Frames and Parts. All non-standard HC products have a one year limited warranty.Custom orders require a 50% deposit at time of order placement.

## FRAME CONSTRUCTION

# PRODUCT SPECIFICATIONS

Our wood lounge frames are bench made exclusively in North Carolina by local craftsmen who have been building furniture

in this area for generations. We use only kiln-dried Beech or beech hardwood (5/4 size minimum) or durable engineered wood panels crafted of multilayered solid wood veneers to reduce movement, twisting and warping. Key joints are reinforced with traditional double dowels, corner blocks and interlocking joints to withstand weight and stress. Exposed wood furnishings are handcrafted of the finest Beech or beech hardwoods. Rails are double doweled and corner blocked for maximum strength. All corner blocks are screwed and/or stapled to insure strength.

## SPRING AND SEAT CONSTRUCTION

HC's primary spring and seat construction is the eight-way hand tied system. When eight-way construction is not possible due to design HC will use an appropriate seat construction based on industry standards.

• Eight-Way Hand Tied System

The best spring construction available when chair design allows. Provides comfort and long life by utilizing double coil springs tied to each other and frame rails. This allows springs to move only in a vertical motion and distribute weight load equally to chair rails.

- Materials
- Eight and nine gauge solid carbon steel double coil springs.
- 100% waxed #6 nylon string.
- Eight knots per coil at top.
- Paper lined steel fastener secures coil to bottom.
- 54 strands/inch #650 Woven Poly Propex bottom.
- 7/8" steel nails attach strings to rails.
- System covered with FLW Polywoven material.
- Rubber Webbing System

Simple spring construction for Contemporary and Transitional seating that require very thin scaled designs. Provides comfort and strength by attaching rubber webbing from the front rail to the back rail and across seat from side rails.

- Materials
- Ultraflex Type #550 rubber webbing 2" wide with 20% stretch load
- #10 steel staples attach webbing to frame rails.
- No Sag System

The best spring construction for designs that do not allow for eight way hand tied system. Used on most Contemporary and Transitional style seating and as a cost savings on Traditional style seating. Provides comfort and strength by using sinuous wire springs that are connected to front and back rails. These springs are then held together by a coated wire clipped to each spring.

#### Materials

- Eight and ten gauge sinuous wire springs in continuous 2" wide loops. These springs are spread 4" on center across seat.
- Coated stabilizing wire.
- System covered with FLW Polywoven material.
- Foam Over Propex

Simple seat construction for Contemporary and Transitional seating that require very thin scaled designs. Provides comfort and strength by attaching Polywoven propex material to all four side rails then covering with foam.


#### Materials

- #650 woven poly propex with 54 strands per sq. inch
- 500 7/16" steel staples attach propex to rails.



Manual Swivel Tilt Control - Used for medium and large fixed back tilting chairs this spring control employs a low fulcrum and a dual "floating spring" concept to ensure both a balanced and stable ride throughout the full tilting range. Nylon contacts rubber cushion shock absorbers and self-lubricating fiberglass reinforced nylon bearings provide for long lasting quality.

Adjustments: A. Tilt tension control knob B. Manual height adjustment




## PRODUCT SPECIFICATIONS

#### **MECHANISMS** (continued)

 Knee Tilt Controls - Used for fixed back tilting chairs the forward positioning of the fulcrum permits the chair to tilt back from the front edge. This results in minimum vertical knee movement alleviates upward thigh pressure and improves access to lower desk areas. Its streamlined design and construction exceeds ANSI/BIFMA standards and offers permanently lubricated reinforced nylon bearings. This mechanism is offered with either mechanical or pneumatic height adjustment.

Adjustments: A. Tilt tension control knob

- B. Pneumatic height adjustment lever
- C. Manual height adjustment
- D. Tilt lock push/pull rod



BASES

Bases E and L are constructed with solid steel understructures and solid hardwood base caps. Base P is cast fiberglass reinforced nylon.



# PRODUCT SPECIFICATIONS

#### **FINISHES**

HC has eight key steps in the finishing process. These steps and the use of a catalyzed lacquer provide all products with a high quality long lasting finish. The steps are as follows:

- 1. Primary Machine Sand 100-120 Grit
- 2. Secondary Hand Sand 150-220 Grit
- 3. Apply Stain
- 4. Apply Sealer
- 5. Sand 280 Grit
- 6. Apply First Coats of Catalyzed Lacquer
- 7. Sand 320 Grit
- 8. Apply Second Coats of Catalyzed Lacquer

HC applies the finishes listed below to exposed beech/ maple hardwood. If a different species of wood is required please contact the factory for price and availability.

#### Standard Finishes

Hickory Contract offers 10 standard wood grain finishes and 10 laminate choices. You may view these selections on line or inquire with customer service for samples.

Mahogany	Cherry
Walnut	Light Cherry
Black	Natural Maple
P. Mahogany	Pecan*
Oak	Kona

#### Light Finishes

HC offers several light finishes and custom matches many. These finishes do not hide or mask the natural characteristics of the wood. Both dealer and customer should understand that the natural characteristics of the wood will be a characteristic of the product. Natural characteristics of the product include the natural discoloration of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by HC and therefore will not warrant replacement or repair.

#### **Custom Finishes**

Hickory Contract will match other manufacturers finishes. Please submit a sample with your purchase order. Hickory Contract will have sole discretion concerning the correctness of the match unless an approval samples is requested and approved. The charges for custom finishes are as follows:

#### \$250 LIST per order \$125 LIST per approval

The beauty of the wood is the result of natural variations in color and grain. Since no two trees are exactly alike, all woods may vary in color, grain configuration and stain acceptance. Therefore, even though veneers and solids are carefully selected, an exact matching of color and grain cannot be guaranteed.

## WELT GUARDS

A 10" long clear Polyvinyl welt guard is standard on all Traditional Executive Swivel Chairs. Please note on order if guard should be deleted.

## COMBINATIONS/CONTRASTING WELTS

For contrasting welts or contrasting fabrics please add \$25.00 list/chair \$35.00 list/loveseat and \$45.00 list/sofa.

## FIRE RETARDANT CODES

Most products are manufactured to meet California Technical Bulletin 117. HC can manufacture its product with components which should allow the product to meet California Technical Bulletin 133 Requirements. Please contact the factory for pricing. Should certification be required customer is responsible for cost of sample and testing fees.

## **CUSHION TIE STRAPS**

For tie straps which prevent lounge cushions from being easily removed add \$40.00 list/chair \$120.00 list/loveseat and \$160 list/sofa.

## LUMBAR BACKS

Additional lumbar support is available on many products. Please consult product pricing pages or the factory for availability and charge.

## LEATHER

No two pieces of leather furniture are exactly the same. Color variations and distinctive natural markings make each piece of leather furniture unique.

Color variation is a natural occurrence with pure analine dyed top grain leathers. In the dying process no pigments are used. Each hide absorbs "color" in varying amounts based on individual cell structure so even areas within the same hide may vary in color.

Color variation is an inherent quality of the antiquing process in hand antiqued leather.

Healed scars scratches insect bites and wrinkles provide yet another Dimensions/ of individuality to leather. All of the above are natural characteristics of leather and are not considered defects by HC.

## NAILHEADS

The standard nailhead offered on all Hickory Contract furniture is a <sup>1</sup>/<sub>2</sub>" French Natural (brass). We offer at no additional charge 5 other choices. You may view these selections on our website or contact customer service for additional information.

## CUSTOMER'S OWN MATERIAL

## CUSTOMER'S OWN MATERIAL (C.O.M)

All items are available with material furnished by the purchaser and should be priced in grade A. Yardage requirements listed in our price list are based on 54" wide plain material. Generally additional yardage is required if striped or patterned material is used if pattern requires matching or if width of materials is less than 54" wide. HC strongly recommends a sample of the C.O.M. material be submitted for review and approval prior to ordering. We can take no responsibility for tailoring wearability or application of C.O.M. covers.

## TEXTILE GRADING

COM should be priced in Grade "A". COL should be priced in Grade "C". COM COL and all leather grades are noted in header above each products zoned pricing.


## C.O.M CHART

Though every effort has been made to estimate excess yardage required for stripes and matches HC takes no responsibility where additional material must be ordered. HC will supply yardage requirements for large quantities revisions and special match upon request.

Raibaded							
Fabric Plain Repeat							
	hFabric	1-5″	6-9″	10-13"	14-20″	21-27″	28-34″
54″	0%	+10%	+15%	+20%	+25%	+30%	+35%
50″	+15%	+15%	+20%	+25%	+30%	+35%	+40%
48″	+20%	+20%	+25%	+30%	+35%	+40%	+45%

Refer to the following guideline when figuring C.O.M. requirements:







Up TheRoll							
Fabri	c Plain	Repeat					
	nFabric	1-5″	6-9″	10-13"	14-20″	21-27"	28-34"
54″	0%	+15%	+18%	+25%	+30%	+35%	+40%
50″	+15%	+20%	+25%	+30%	+35%	+40%	+45%
48″	+20%	+25%	+30%	+35%	+40%	+45%	+50%



## ALL C.O.M.'s AND C.O.L.'s

In absence of specific written instructions accompanying the order fabrics will be cut seamed and applied at HC's discretion and at customer's risk. While HC inspects fabrics for mill imperfections some are difficult to recognize. HC cannot be responsible for defects color inaccuracies dye lot variations/flaws and suggests that our customer inspect fabrics before furnishing them to the factory. HC will make a concentrated effort to control C.O.M. and C.O.L. materials. It is not HC's responsibility to police the receipt of C.O.M. and C.O.L. material in order to meet delivery deadlines and we assume that customers are aware of any undue delay in the delivery of their C.O.M. and C.O.L. materials. All C.O.M. and C.O.L. must be clearly tagged with customer name/ Purchase Order Number/Product Number.

#### SHIP C.O.M. PREPAID

HC 7514 West NC #10 Hwy. Vale NC 28168 ATTN: COM/COL Dept.

# HC TEXTILE PROGRAMS

HC's textile program offers five types of leathers and over 10,000 different choices of fabrics and vinyls. For grading information.

please visit our website at www.HickoryContract.com and visit the textile page.

BR

MOMENTUM

A MOMENTUM GROUP COMP

TEXTILES

IC

#### MAYER

The entire Mayer line is available through HC. For free

memo samples call Mayer Fabrics at 800-428-4415. www.mayerfabrics.com

#### MOMENTUM

The entire Momentum line is available through HC. For free memo samples call Momentum at 800-366-6839. www.memosamples.com

#### CE STINSON

The entire CF Stinson line is available through HC. For free memo samples, contact CF Stinson at 800-841-6279



# **ULTRA FABRICS**

The entire Ultra Fabrics line is available through HC. For fabric samples call 877.309.6648. www.ultrafabricsllc.com

DOUGLAS The entire Douglas line is available through HC. For fabric samples please call 800.950.3684. www.douglassfabrics.com

## CULP FABRICS

The entire Culp Fabrics line is available through HC. For fabric samples call 336-888-6274. culpcontract.com







## HC LEATHER PROGRAMS

#### RIO

RIO is the go to leather when the demand for durability and value are the top priority. The color options are a minimalist approach that is current and relevant. RIO is dyed for color then pigmented to provide color consistency and a protective finish which is perfect for high traffic areas.

#### BELLA

Casual elegance and a large color palette make BELLA an easy choice when selecting leather. This color consistent and durable upholstery leather provides a soft drape and hand that tailors exceptionally well. Produced on select European hides this collection provides a premium quality at an affordable grade. BELLA is specified to meet the requirements for contract and hospitality uses.

#### SANTA FE

SANTA FE is a smart choice for the customer looking for a wax/crackle leather that won't easily scratch. SANTA FE provides that desirable vintage look but offers a protective finish making it suitable for high traffic area. Each hide is aniline dyed and receives a special protective wax top coat for durability and softness. Due to the inherent nature of this raw material, scratches, bruises, scars and insect bites may be noticeable but only add to the richness of this vintage leather.

AVALON

Avalon is a top grain, lightly corrected semi-aniline leather Powered by Crypton, which is bleach cleanable, antimicrobial, antibacterial and stain resistant. Fully aniline dyed and highlighted by a pebble grain, Avalon is available in 25 design driven colors. Durable and ideally suited for healthcare and hospitality applications, Avalon is environmentally friendly and solvent free.

#### HEIRLOOM

All of the beauty that makes an antique leather desirable is offered in HEIRLOOM at a value price. The subtle hand-wipe effect adds dramatic color depth and produces a two-tone look that is ageless and inviting.

#### VINTAGE

VINTAGE is a domestic top grain, aniline dyed leather that features Old World craftsmanship of a hand rubbed antiqued finish and is frequently referred to as a glazed leather because of its high sheen. The authentic hand antiquing gives this fine leather its distinctive and unique look. Environmentally friendly, Vintage is available in 9 relevant colors and is an excellent hand antiqued leather choice for the discriminating contract customer.



# HC ENVIRONMENTAL POLICY

HC's environmental effort begins by designing and building durable products backed by a ten year warranty. This is a goal aimed at preserving natural resources. It means our products limit the "dispose and repurchase" cycle that constantly burdens our environment with used and wasted furniture.

The safety of employees the community and environmental factors are also considered in the design of products and all production processes. HC's two manufacturing facilities function in full compliance with all applicable EPA and OSHA regulations.

HC identifies the environmental aspects of its business activities manufacturing operations products and services and then strives to prevent or reduce environmental impacts within our control including application of the best available technology and management practices.

HC's Environmental Policy and Goals include:

- Hardwoods from suppliers who practice conservation and reforestation programs not utilizing wood species from endangered rain forests
- Parts manufactured by approved suppliers who apply modern technologies that are not harmful to the environment
- Beech frame construction which is free of formaldehyde often used by others utilizing plywood in their construction
- Technology that maximizes the best and highest quality yield
- Chemicals and adhesives that are formulated to meet or exceed environmental standards
- Alternate packaging methods such as blanket wrapping to reduce use of cardboard packaging
- Transportation management system that contracts with trucking lines who efficiently time shipments to ensure as full as possible shipments to conserve energy
- Maximize use of recyclable packaging materials
- Many recycled materials in the operation of the administrative promotional and financial activities that occur in the operation of HC's daily business

HC also employs processes and materials that prevent reduce or minimize pollution. This includes control mechanisms material substitution efficient use of resources and recycling.

HC will continually explore creative responsible ways to do business and manufacture products so as to better preserve our natural resources and protect the environment for future generations.